

Cross Reference

The following table represents a cross reference guide for all Analog devices that are manufactured by Motorola. Where the Motorola part number differs from the industry part

number, the Motorola device is a “form, fit and function” replacement for the industry part number. However, some differences in characteristics and/or specifications may exist.

Industry Part Number	Motorola Nearest Replacement	Motorola Similar Replacement	Page Number
9667PC	MC1413P		97
9668PC	MC1416P		97
AD589J		LM385Z-1.2	87
AD589K		LM385Z-1.2	87
AD589L		LM385Z-1.2	87
AD589M		LM385BZ-1.2	87
AM201AD		LM201AN	20
AM201D		LM201AN	20
AM723PC	MC1723CP		33
AN5150		MC34129P	41, 118, 138, 143
CA081AE		TL081ACP	20
CA081E		TL081CP	20
CA082AE		TL082ACP	21
CA082E		TL082CP	21
CA084AE		TL084ACN	22
CA084E		TL084CN	22
CA1391E	MC1391P		152
CA1458S	MC1458CP1		21
CA239AE	LM239AN		27
CA239E	LM239N		27
CA3045F		MC3346P	153
CA3046	MC3346P		153
CA3058		CA3059	76
CA3059	CA3059		76
CA3079	CA3079		76
CA3086F		MC3346P	153
CA3136A		MC3346P	153
CA3146		MC3346P	153
CA339AE	LM339AN		27
CA339E	LM339N		27
CA723CE	MC1723CP		33
CA741CS	MC1741CP1		20
CS2842AD	UC2842BD1		42
CS2843AD	UC2843BD1		42
CS2844D	UC2844BD1		42
CS2845D	UC2845BD1		42
CS3842AD	UC3842BD1		41
CS3843AD	UC3843BD1		42
CS3844D	UC3844BD1		42
CS3845D	UC3845BD1		42
DM8822N		MC1489AP	96
DS1233M		MC34064P-5	63
DS1488N	MC1488P		96
DS1489AN	MC1489AP		96
DS1489N	MC1489P		96
ICL741CLNPA		MC1741CP1	20
ICL741CLNTY		MC1741CP1	20

Cross Reference (continued)

Industry Part Number	Motorola Nearest Replacement	Motorola Similar Replacement	Page Number
ICL8008CPA		LM301AN	20
ICL8008CTY		LM301AN	20
ICL8017CTW		LM301AN	20
ICL8017MTW		LM301AN	20
ICL8069CCZR		LM385BZ-1.2	87
ICL8069DCZR		LM385BZ-1.2	87
IP33063N	MC33063AP1		43
IP34060AN	MC34060AP		41
IP34063N	MC34063AP1		43
IP3525AN	SG3525AN		44
IP3526N	SG3526N		44
IP494ACJ		TL594IN	44
IP494ACN		TL594CN	44
IR3M03A		MC34063AP1	43
IR3M03AN		MC34063AD	43
ITT3710		MC1391P	152
ITT656	MC1413P		97
L144AP		LM324N	22
L203	MC1413P		97
L387		MC33267T	30, 31, 36, 37, 170
LF347BN	LF347BN		22
LF347N	LF347N		22
LF351BN		MC34001BP	20
LF351N	LF351N		20
LF353AN	MC34002AP		21
LF353BN	MC34002BP		21
LF353D	LF353D		21
LF353N	LF353N		21
LF411CD	LF411CD		20
LF412CD	LF412CD		21
LF442CD	LF442CD		21
LF442CN	LF442CN		21
LF444CD	LF444CD		22
LF444CN	LF444CN		22
LM139N	MC1391P		152
LM1489AN	MC1489AP		96
LM1489N	MC1489P		96
LM1496M	MC1496D		103
LM1496N	MC1496P		103
LM201AD	LM201AD		20
LM201AN	LM201AN		20
LM201AP		LM201AN	20
LM211D	LM211D		27
LM211M	LM211D		27
LM224D	LM224D		22
LM224M	LM224D		22
LM224N	LM224N		22
LM239AN	LM239AN		27
LM239D	LM239D		27
LM239M	LM239D		27
LM239N	LM239N		27
LM240LAZ-5.0		MC78L05ACP	30
LM240LAZ-6.0		MC78L05ACP	30

Cross Reference (continued)

Industry Part Number	Motorola Nearest Replacement	Motorola Similar Replacement	Page Number
LM240LAZ-8.0		MC78L08ACP	30
LM240LAZ-12		MC78L12ACP	30
LM240LAZ-15		MC78L15ACP	30
LM240LAZ-18		MC78L18ACP	30
LM240LAZ-24		MC78L24ACP	30
LM249N		MC4741CP	22
LM2574	LM2574		43, 48
LM2575	LM2575		43, 49
LM2576	LM2576		44, 49
LM258D	LM258D		21
LM258M	LM258D		21
LM258N	LM258N		21
LM285Z-1.2	LM285Z-1.2		87
LM285Z-2.5	LM285Z-2.5		87
LM2901D	LM2901D		27
LM2901M	LM2901D		27
LM2901N	LM2901N		27
LM2902D	LM2902D		23
LM2902M	LM2902D		23
LM2902N	LM2902N		23
LM2903D	LM2903D		27
LM2903M	LM2903D		27
LM2903N	LM2903N		27
LM2903P	LM2903N		27
LM2904M	LM2904D		22
LM2904N	LM2904N		22
LM2905N		MC1455P1	187
LM2931AD-5.0	LM2931AD-5.0		30, 31
LM2931AT-5.0	LM2931AT-5.0		30, 31
LM2931AZ-5.0	LM2931AZ-5.0		30, 31
LM2931CD	LM2931CD		32, 170
LM2931CM	LM2931CD		32, 170
LM2931CT	LM2931CT		32, 170
LM2931D-5.0	LM2931D-5.0		30, 31
LM2931D	LM2931D-5.0		30, 31
LM2931T-5.0	LM2931T-5.0		30, 31
LM2931Z-5.0	LM2931Z-5.0		30, 31
LM2935T	LM2935T		31, 170
LM301AD	LM301AD		20
LM301AM	LM301AD		20
LM301AN	LM301AN		20
LM301AP		LM301AN	20
LM3045		MC3346P	153
LM3046N	MC3346P		153
LM308AD	LM308AD		20
LM308AN	LM308AN		20
LM308P		MC3356P	101
LM311D	LM311D		27
LM311M	LM311D		27
LM311N	LM311N		27
LM311P	LM311N		27
LM3146A		MC3346P	153
LM3146		MC3346P	153

Cross Reference (continued)

Industry Part Number	Motorola Nearest Replacement	Motorola Similar Replacement	Page Number
LM317KC	LM317T		33
LM317KD		LM317T	33
LM317LD	LM317LD		32
LM317LZ	LM317LZ		32
LM317MP		LM317MT	33
LM317P		LM317T	33
LM317T	LM317T		33
LM3189		MC3356P	101
LM320LZ-12		MC79L12ACP	30
LM320LZ-15		MC79L15ACP	30
LM320LZ-5.0		MC79L05ACP	30
LM320MP-5.0		MC7905CT	31
LM320MP-5.2		MC7905.2CT	31
LM320MP-6.0		MC7906CT	31
LM320MP-8.0		MC7908CT	31
LM320MP-12		MC7912CT	31
LM320MP-15		MC7915CT	31
LM320MP-18		MC7918CT	31
LM320MP-24		MC7924CT	31
LM320T-12		MC7912CT	31
LM320T-15		MC7915CT	31
LM320T-5.0		MC7905CT	31
LM320T-5.2		MC7905.2CT	31
LM322N		MC1455P1	187
LM323AT	LM323AT		31
LM323T	LM323T		31
LM324AD	LM324AD		22
LM324AN	LM324AN		22
LM324D	LM324D		22
LM324M	LM324D		22
LM324N	LM324N		22
LM337MP		LM337MT	33
LM337MT	LM337MT		33
LM337T	LM337T		33
LM339AD	LM339AD		27
LM339AM	LM339AD		27
LM339AN	LM339AN		27
LM339D	LM339D		27
LM339N	LM339N		27
LM339P		LM339N	27
LM340AT-12	LM340AT-12		31
LM340AT-15	LM340AT-15		31
LM340AT-5.0	LM340AT-5.0		31
LM340KC-12	LM340T-12		31
LM340KC-15	LM340T-15		31
LM340LAZ-5.0		MC78L05ACP	30
LM340LAZ-8.0		MC78L08ACP	30
LM340LAZ-12		MC78L12ACP	30
LM340LAZ-18		MC78L18ACP	30
LM340LAZ-24		MC78L24ACP	30
LM340T-5.0	LM340T-5.0		31
LM340T-6.0	LM340T-6.0		31
LM340T-8.0	LM340T-8.0		31

Cross Reference (continued)

Industry Part Number	Motorola Nearest Replacement	Motorola Similar Replacement	Page Number
LM340T-12	LM340T-12		31
LM340T-15	LM340T-15		31
LM340T-18	LM340T-18		31
LM340T-24	LM340T-24		31
LM341P-12		MC78M12CT	30
LM341P-15		MC78M15CT	30
LM341P-18		MC78M18CT	30
LM341P-24		MC78M24CT	30
LM341P-5.0		MC78M05CT	30
LM341P-6.0		MC78M06CT	30
LM341P-8.0		MC78M08CT	30
LM342P-12		MC78M12CT	30
LM342P-15		MC78M15CT	30
LM342P-18		MC78M18CT	30
LM342P-24		MC78M24CT	30
LM342P-5.0		MC78M05CT	30
LM342P-6.0		MC78M06CT	30
LM342P-8.0		MC78M08CT	30
LM349N		MC4741CP	22
LM350T	LM350T		33
LM358AN		LM358N	21
LM358D	LM358D		21
LM358N	LM358N		21
LM385BZ-1.2	LM385BZ-1.2		87
LM385BZ-2.5	LM385BZ-2.5		87
LM385D-1.2	LM385D-1.2		87
LM385D-2.5	LM385D-2.5		87
LM385M-1.2	LM385D-1.2		87
LM385M-2.5	LM385D-2.5		87
LM385Z-1.2	LM385Z-1.2		87
LM385Z-2.5	LM385Z-2.5		87
LM386N		MC34119P	132, 133, 134, 136, 138, 143, 144, 151
LM3905N		MC1455P1	187
LM393AN	LM393AN		27
LM393D	LM393D		27
LM393JG		LM393N	27
LM393M	LM393D		27
LM393N	LM393N		27
LM431ACZ	TL431ACLP		87
LM431ACM	TL431ACD		87
LM4250CN		MC1776CP1	20
LM555CN	MC1455P1, NE556N		187
LM556CN	MC3456P		187
LM703LN		MC1350P	25, 152
LM723CN	MC1723CP		33
LM741EN		MC1741CP1	20
LM7805CT	MC7805CT		31
LM7812CT	MC7812CT		31
LM7815CT	MC7815CT		31
LM78L05ACZ	MC78L05ACP		30
LM78L05CZ	MC78L05CP		30
LM78L08ACZ	MC78L08ACP		30

Cross Reference (continued)

Industry Part Number	Motorola Nearest Replacement	Motorola Similar Replacement	Page Number
LM78L08CZ	MC78L08CP		30
LM78L12ACZ	MC78L12ACP		30
LM78L12CZ	MC78L12CP		30
LM78L15ACZ	MC78L15ACP		30
LM78L15CZ	MC78L15CP		30
LM78L18ACZ	MC78L18ACP		30
LM78L18CZ	MC78L18CP		30
LM78L24ACZ	MC78L24ACP		30
LM78L24CZ	MC78L24CP		30
LM78M05CP		MC78M05CT	30
LM78M06CP		MC78M06CT	30
LM78M12CP		MC78M12CT	30
LM78M15CP		MC78M15CT	30
LM7905CT	MC7905CT		31
LM7912CT	MC7912CT		31
LM7915CT	MC7915CT		31
LM79L05ACZ	MC79L05ACP		30
LM79L12ACZ	MC79L12ACP		30
LM79L15ACZ	MC78L15ACP		30
LM79M05CP		MC79M05CT	30
LM79M12CP		MC79M12CT	30
LM79M15CP		MC79M15CT	30
LM833D	LM833D		21
LM833N	LM833N		21
LM833P	LM833N		21
LM837N		MC33079P	23
LMC6482D		MC33202D	22
LMC6482P		MC33202P	22
LMC6484D		MC33204D	23
LMC6484P		MC33204P	23
LP2950CZ-3.0	LP2950CZ-3.0		30, 31
LP2950CZ-3.3	LP2950CZ-3.3		30, 31
LP2950CZ-5.0	LP2950CZ-5.0		30, 31
LP2950ACZ-3.0	LP2950ACZ-3.0		30, 31
LP2950ACZ-3.3	LP2950ACZ-3.3		30, 31
LP2950ACZ-5.0	LP2950ACZ-5.0		30, 31
LP2951CM	LP2951CD		32
LP2951ACM	LP2951ACD		32
LP2951CM-3.0	LP2951CD-3.0		32
LP2951CM-3.3	LP2951CD-3.3		32
LP2951ACM-3.0	LP2951ACD-3.0		32
LP2951ACM-3.3	LP2951ACD-3.3		32
LP2951CN	LP2951CN		32
LP2951ACN	LP2951ACN		32
LP2951CN-3.0	LP2951CN-3.0		32
LP2951CN-3.3	LP2951CN-3.3		32
LP2951ACN-3.0	LP2951ACN-3.0		32
LP2951ACN-3.3	LP2951ACN-3.3		32
LP2980		MC33264DM	35
LT1083		MC34268DT	30, 31, 40
LT1431CZ	TL431BCLP		87
LTC699CN8		MC34064D-5	63
LTC699IN8		MC33064D-5	63

Cross Reference (continued)

Industry Part Number	Motorola Nearest Replacement	Motorola Similar Replacement	Page Number
MAX809LCPA		MC34064P-5	63
MB3759	TL494CN		44
N5558V	MC1458P1		21
N5723A		MC1723CP	33
N5741A		MC1741CP1	20
N5741V	MC1741CP1		20
NE550A		MC1723CP	33
NE555	MC1455BP1		187
NE555D	MC1455D		187
NE555V	MC1455P1		187
NE556D	NE556D		187
NE556N	MC3456P, NE556N		187
NE5561N		MC34060AP	41
NE5234D		MC33204D	23
NE5234P		MC33204P	23
OP-01P		MC1436P1	20
RC1458DN	MC1458P1		21
RC4136DP		MC3403P	22
RC4136N		MC3403P	22
RC4558DN	MC4558CP1		21
RC4558P	MC4558CP1		21
RC723DB	MC1723CP		33
RC741DN	MC1741CP1		20
RE5VL47A	MC34164P-5		63
RH5RE30AA-T1	MC78LC30HT1		33
RH5RE33AA-T1	MC78LC33HT1		33
RH5RE40AA-T1	MC78LC40HT1		33
RH5RE50AA-T1	MC78LC50HT1		33
RN5RG30AA-TR	MC78BC30NTR		34
RN5RG33AA-TR	MC78BC33NTR		34
RN5RG40AA-TR	MC78BC40NTR		34
RN5RG50AA-TR	MC78BC50NTR		34
RH5RH301A-T1	MC33466H-30JT1		47
RH5RH302B-T1	MC33466H-30LT1		47
RH5RH331A-T1	MC33466H-33JT1		47
RH5RH332B-T1	MC33466H-33LT1		47
RH5RH501A-T1	MC33466H-50JT1		47
RH5RH502B-T1	MC33466H-50LT1		47
RH5RI301B-T1	MC33463H-30KT1		46
RH5RI302B-T1	MC33463H-30LT1		46
RH5RI331B-T1	MC33463H-33KT1		46
RH5RI332B-T1	MC33463H-33LT1		46
RH5RI501B-T1	MC33463H-50KT1		46
RH5RI502B-T1	MC33463H-50LT1		46
RH5RL30AA-T1	MC78FC30HT1		34
RH5RL33AA-T1	MC78FC33HT1		34
RH5RL40AA-T1	MC78FC40HT1		34
RH5RL50AA-T1	MC78FC50HT1		34
RH5VT09AA-T1	MC33464H-09AT1		60
RH5VT20AA-T1	MC33464H-20AT1		60
RH5VT27AA-T1	MC33464H-27AT1		60
RH5VT30AA-T1	MC33464H-30AT1		60
RH5VT45AA-T1	MC33464H-45AT1		60

Cross Reference (continued)

Industry Part Number	Motorola Nearest Replacement	Motorola Similar Replacement	Page Number
RH5VT09CA-T1	MC33464H-09CT1		60
RH5VT20CA-T1	MC33464H-20CT1		60
RH5VT27CA-T1	MC33464H-27CT1		60
RH5VT30CA-T1	MC33464H-30CT1		60
RH5VT45CA-T1	MC33464H-45CT1		60
RN5RL30AA-TR	MC78FC30NTR		34
RN5RL33AA-TR	MC78FC33NTR		34
RN5RL40AA-TR	MC78FC40NTR		34
RN5RL50AA-TR	MC78FC50NTR		34
RN5VD09AA-TR	MC33465N-09ATR		62
RN5VD20AA-TR	MC33465N-20ATR		62
RN5VD27AA-TR	MC33465N-27ATR		62
RN5VD30AA-TR	MC33465N-30ATR		62
RN5VD45AA-TR	MC33465N-45ATR		62
RN5VD09CA-TR	MC33465N-09CTR		62
RN5VD20CA-TR	MC33465N-20CTR		62
RN5VD27CA-TR	MC33465N-27CTR		62
RN5VD30CA-TR	MC33465N-30CTR		62
RN5VD45CA-TR	MC33465N-45CTR		62
RN5VT09AA-TR	MC33464N-09ATR		62
RN5VT20AA-TR	MC33464N-20ATR		62
RN5VT27AA-T4	MC33464N-27ATR		62
RN5VT30AA-TR	MC33464N-30ATR		62
RN5VT45AA-TR	MC33464N-45ATR		62
RN5VT09CA-TR	MC33464N-09CTR		62
RN5VT20CA-TR	MC33464N-20CTR		62
RN5VT27CA-TR	MC33464N-27CTR		62
RN5VT30CA-TR	MC33464N-30CTR		62
RN5VT45CA-TR	MC33464N-45CTR		62
S-80743AN		MC34164P-3	63
SA555N	MC1455BP1		187
SAA1042		SAA1042V	83
SG1458M	MC1458P1		21
SG1496N	MC1496P		103
SG1596J	MC1496BP		103
SG201AM	LM201AN		20
SG201AN		LM201AN	20
SG201M	LM201AN		20
SG201N		LM201AN	20
SG224N	LM224N		22
SG300N		MC1723CP	33
SG301AM	LM301AN		20
SG301AN		LM301AN	20
SG308AM	LM308AN		20
SG3118AM		LM308AN	20
SG311M	LM311N		27
SG317P	LM317T		33
SG317R		LM317T	33
SG324N	LM324N		22
SG337P	LM337T		33
SG337R		LM337T	33
SG3423M		MC3423P1	59
SG3525AN	SG3525AN		44

Cross Reference (continued)

Industry Part Number	Motorola Nearest Replacement	Motorola Similar Replacement	Page Number
SG3526N	SG3526N		44
SG3561	MC34261P		56
SG4250CM		MC1776CP1	20
SG555CM	MC1455P1		187
SG556CN	MC3456P		187
SG723CN	MC1723CP		33
SG741CM	MC1741CP1		20
SG777CN		LM308AN	20
SG7805ACP	MC7805ACT		31
SG7805ACR		MC7805ACT	31
SG7805ACT		MC7805ACT	31
SG7805CP	MC7805CT		31
SG7806ACP	MC7806ACT		31
SG7806ACR		MC7806ACT	31
SG7806ACT		MC7806ACT	31
SG7806CP	MC7806CT		31
SG7806CR		MC7806CT	31
SG7808ACP	MC7808ACT		31
SG7808ACT		MC7808ACT	31
SG7808CP	MC7808CT		31
SG7808CR		MC7808CT	31
SG7812ACP	MC7812ACT		31
SG7812ACR		MC7812ACT	31
SG7812ACT		MC7812ACT	31
SG7812CP	MC7812CT		31
SG7812CR		MC7812CT	31
SG7815ACP	MC7815ACT		31
SG7815ACR		MC7815ACT	31
SG7815ACT		MC7815ACT	31
SG7815CP	MC7815CT		31
SG7815CR		MC7815CT	31
SG7815CT		MC7815CT	31
SG7818ACP	MC7818ACT		31
SG7818ACR		MC7818ACT	31
SG7818ACT		MC7818ACT	31
SG7818CP	MC7818CT		31
SG7818CR		MC7818CT	31
SG7824ACP	MC7824ACT		31
SG7824ACR		MC7824ACT	31
SG7824ACT		MC7824ACT	31
SG7824CP	MC7824CT		31
SG7824CR		MC7824CT	31
SG7905.2CP	MC7905.2CT		31
SG7905.2CR		MC7905.2CT	31
SG7905.2CT		MC7905.2CT	31
SG7905ACP	MC7905ACT		31
SG7905ACR		MC7905ACT	31
SG7905ACT		MC7905ACT	31
SG7905CP	MC7905CT		31
SG7905CR		MC7905CT	31
SG7905CT		MC7905CT	31
SG7908CP	MC7908CT		31
SG7908CR		MC7908CT	31

Cross Reference (continued)

Industry Part Number	Motorola Nearest Replacement	Motorola Similar Replacement	Page Number
SG7908CT		MC7908CT	31
SG7912ACP	MC7912ACT		31
SG7912ACR		MC7912ACT	31
SG7912ACT		MC7912ACT	31
SG7912CP	MC7912CT		31
SG7912CR		MC7912CT	31
SG7912CT		MC7912CT	31
SG79015ACP	MC7915ACT		31
SG7915ACR		MC7915ACT	31
SG7915ACT		MC7915ACT	31
SG7915CP	MC7915CT		31
SG7915CR		MC7915CT	31
SG7915CT		MC7915CT	31
SG7918CP	MC7918CT		31
SN75LBC086		MC34055DW	94, 97
SN75150N		MC1488P	96
SN75154N		MC1489P	96
SN75174N	MC75174BP		96
SN75188N	MC1488P		96
SN75189AN	MC1489AP		96
SN75189N	MC1489P		96
SN75468N	MC1413P		97
SN76591P	MC1391P		152
SN76600P	MC1350P		25, 152
SSS201AP	LM201AN		20
SSS301AP	LM301AN		20
TA7504P	MC1741CP1		20
TA7506P	LM301AN		20
TA75071P		MC34001P	20
TA75072P		MC34002P	21
TA75074F		MC34004P	22
TA75339F	LM339D		27
TA75339P	LM339N		27
TA75358CF	LM358D		21
TA75358CP	LM358N		21
TA75393F	LM393D		27
TA75393P	LM393N		27
TA75458F	MC1458D		21
TA75458P	MC1458CP1		21
TA75558P	MC4558CP1		21
TA7555F	MC1455D		187
TA7555P	MC1455P1		187
TA75902F	LM324D		22
TA76494P		TL494IN	44
TA78005AP	MC7805CT		31
TA78006AP	MC7806CT		31
TA78008AP	MC7808CT		31
TA78012AP	MC7812CT		31
TA78015AP	MC7815CT		31
TA78018AP	MC7818CT		31
TA78024AP	MC7824CT		31
TA78L005AP		MC78L05ACP	30
TA78L008AP		MC78L08ACP	30

Cross Reference (continued)

Industry Part Number	Motorola Nearest Replacement	Motorola Similar Replacement	Page Number
TA78L012AP		MC78L12ACP	30
TA78L015AP		MC78L15ACP	30
TA78L018AP		MC78L18ACP	30
TA78L024AP		MC78L24ACP	30
TA78M05P	MC78M05CT		30
TA78M06P	MC78M06CT		30
TA78M08P	MC78M08CT		30
TA78M12P	MC78M12CT		30
TA78M18P	MC78M18CT		30
TA78M20P	MC78M20CT		30
TA78M24P	MC78M24CT		30
TA79005P	MC7905CT		31
TA79006P	MC7906CT		31
TA79008P	MC7908CT		31
TA79012P	MC7912CT		31
TA79015P	MC7915CT		31
TA79018P	MC7918CT		31
TA79024P	MC7924CT		31
TA79L012P		MC79L12P	30
TA79L015P		MC79L15P	30
TA79L018P		MC79L18P	30
TA79L024P		MC79L24P	30
TB920		MC1391P	152
TBA920S		MC1391P	152
TCF5600	TCF5600		55
TD62003P/AP	MC1413P		97
TDA1085C	TDA1085C		84
TDA1085		TDA1085C	84
TDA4817		MC34261P	56
TK1XXMC	MC33264D		35
TK115	MC33264		35
TL022CP		LM358N	21
TL044CJ		LM324N	22
TL062ACP	TL062ACP		21
TL062CD	TL062CD		21
TL062CP	TL062CP		21
TL062VP	TL062VP		21
TL064ACD	TL064ACD		22
TL064ACN	TL064ACN		22
TL064CD	TL064CD		22
TL064CN	TL064CN		22
TL064VN	TL064VN		23
TL071ACD	TL071ACD		20
TL071ACP	TL071ACP		20
TL071CD	TL071CD		20
TL071CP	TL071CP		20
TL072ACD	TL072ACD		21
TL072ACP	TL072ACP		21
TL072CD	TL072CD		21
TL072CP	TL072CP		21
TL074ACN	TL074ACN		22
TL074CN	TL074CN		22
TL081ACD	TL081ACD		20

Cross Reference (continued)

Industry Part Number	Motorola Nearest Replacement	Motorola Similar Replacement	Page Number
TL081ACP	TL081ACP		20
TL081CD	TL081CD		20
TL081CP	TL081CP		20
TL082ACP	TL082ACP		21
TL082CD	TL082CD		21
TL082CP	TL082CP		21
TL084ACN	TL084ACN		22
TL084CN	TL084CN		22
TL431CD	TL431CD		87
TL431CLP	TL431CLP		87
TL431CP	TL431CP		87
TL431ILP	TL431ILP		87
TL431IP	TL431IP		87
TL494CN	TL494CN		44
TL494IN	TL494IN		44
TL497CN		MC34063AP1	43
TL594CN	TL594CN		44
TL594IN	TL594IN		44
TL7805ACKC	MC7805ACT		31
TLC2272D		MC33202D	22
TLC2272P		MC33202P	22
TLC2274D		MC33204D	23
TLC2274P		MC33204P	23
μ A1391PC	MC1391P		152
μ A1458CP	MC1458CP1		21
μ A1458CTC	MC1458CP1		21
μ A1458P	MC1458P1		21
μ A1458TC	MC1458P1		21
μ A2240PC		MC1455P1	187
μ A301AT	LM301AN		20
μ A3045		MC3346P	153
μ A3046DC	MC3346P		153
μ A311T	LM311N		27
μ A317UC	LM317T		33
μ A3303P	MC3303P		23
μ A3403P	MC3403P		22
μ A4136PC		MC4741CP	22
μ A431AWC	TL431CP		87
μ A4558TC	MC4558CP1		21
μ A494PC	TL494CN		44
μ A555TC	MC1455P1		187
μ A556PC	MC3456P		187
μ A723CN	MC1723CP		33
μ A723PC	MC1723CP		33
μ A741CP	MC1741CP1		20
μ A742DC		CA3059	76
μ A757DC		MC1350P	25, 152
μ A757DM		MC1350P	25, 152
μ A775PC	LM339N		27
μ A776TC	MC1776CP1		20
μ A7805CKC	MC7805CT		31
μ A7805UC	MC7805CT		31
μ A7805UV	MC7805BT		31

Cross Reference (continued)

Industry Part Number	Motorola Nearest Replacement	Motorola Similar Replacement	Page Number
μA7806CKC	MC7806CT		31
μA7806UC	MC7806CT		31
μA7806UV	MC7806BT		31
μA7808CKC	MC7808CT		31
μA7808UC	MC7808CT		31
μA7808UV	MC7808BT		31
μA7812CKC	MC7812CT		31
μA7812UC	MC7812CT		31
μA7812UV	MC7812BT		31
μA7815CKC	MC7815CT		31
μA7815UC	MC7815CT		31
μA7815UV	MC7815BT		31
μA7818CKC	MC7818CT		31
μA7818UC	MC7818CT		31
μA7818UV	MC7818BT		31
μA7824CKC	MC7824CT		31
μA7824UC	MC7824CT		31
μA7824UV	MC7824BT		31
μA78GU1C		LM317T	33
μA78GUC		LM317T	33
μA78L05ACLP	MC78L05ACP		30
μA78L05AWC		MC78L05ACP	30
μA78L08ACLP	MC78L08ACP		30
μA78L08AWC		MC78L08ACP	30
μA78L12ACLP	MC78L12ACP		30
μA78L12AWC		MC78L12ACP	30
μA78L15ACLP	MC78L15ACP		30
μA78L15AWC		MC78L15ACP	30
μA78L18AWC		MC78L18ACP	30
μA78L24AWC	MC78L24ACP		30
μA78M05CKC	MC78M05CT		30
μA78M05CKD		MC78M05CT	30
μA78M05UC	MC78M05CT		30
μA78M06CKC	MC78M06CT		30
μA78M06CKD		MC78M06CT	30
μA78M06UC	MC78M06CT		30
μA78M08CKC	MC78M08CT		30
μA78M08CKD		MC78M08CT	30
μA78M08UC	MC78M08CT		30
μA78M12CKC	MC78M12CT		30
μA78M12CKD		MC78M12CT	30
μA78M12UC	MC78M12CT		30
μA78M15CKC	MC78M15CT		30
μA78M15CKD		MC78M15CT	30
μA78M15UC	MC78M15CT		30
μA78M18UC	MC78M18CT		30
μA78M20CKC	MC78M20CT		30
μA78M20CKD		MC78M20CT	30
μA78M20UC	MC78M20CT		30
μA78M24CKC	MC78M24CT		30
μA78M24CKD		MC78M24CT	30
μA78M24UC	MC78M24CT		30
μA78MGT2C		LM317T	33

Cross Reference (continued)

Industry Part Number	Motorola Nearest Replacement	Motorola Similar Replacement	Page Number
μA78MGU1C		LM317T	33
μA78MGUC		LM317MT	33
μA78S40PC	μA78S40PC		43
μA78S40PV	μA78S40PV		43
μA7905.2CKC	MC7905.2CT		31
μA7905CKC	MC7905CT		31
μA7905UC	MC7905CT		31
μA7906CKC	MC7906CT		31
μA7906UC	MC7906CT		31
μA7908CKC	MC7908CT		31
μA7912CKC	MC7912CT		31
μA7912UC	MC7912CT		31
μA7915CKC	MC7915CT		31
μA7915UC	MC7915CT		31
μA7918CKC	MC7918CT		31
μA7918UC	MC7918CT		31
μA7924CKC	MC7924CT		31
μA7924UC	MC7924CT		31
μA798TC	MC3458P1		21
μA79L05AWC	MC79L05ACP		30
μA79L12AWC	MC79L12ACP		30
μA79L15AWC	MC79L15ACP		30
μA79M05AUC	MC79M05CT		30
μA79M05CKC	MC79M05CT		30
μA79M06AUC		MC79M06CT	30
μA79M06CKC		MC79M06CT	30
μA79M06UC		MC79M06CT	30
μA79M08AUC		MC79M08CT	30
μA79M08CKC		MC79M08CT	30
μA79M08UC		MC79M08CT	30
μA79M12AUC	MC79M12CT		30
μA79M12CKC	MC79M12CT		30
μA79M18AUC		MC79M18CT	30
μA79M18UC		MC79M18CT	30
μA79M24AUC		MC79M24CT	30
μA79M24CKC		MC79M24CT	30
μA79M24UC		MC79M24CT	30
UC2823DW		MC33023DW	42
UC2823N		MC33023P	42
UC2823Q		MC33023FN	42
UC2825DW		MC33025DW	45
UC2825N		MC33025P	45
UC2825Q		MC33025FN	45
UC2842AD	UC2842AD		41
UC2842AN	UC2842AN		41
UC2842BD	UC2842BD		42
UC2842BN	UC2842BN		42
UC2842D	UC2842AD		41
UC2842N	UC2842AN		41
UC2843AD	UC2843AD		41
UC2843AN	UC2843AN		41
UC2843BD	UC2843BD		42
UC2843BN	UC2843BN		42

Cross Reference (continued)

Industry Part Number	Motorola Nearest Replacement	Motorola Similar Replacement	Page Number
UC2843D	UC2843AD		41
UC2843N	UC2843AN		41
UC2844BD	UC2844BD		42
UC2844BN	UC2844BN		42
UC2844D	UC2844D		41
UC2844N	UC2844N		41
UC2845BD	UC2845BD		42
UC2845BN	UC2845BN		42
UC2845D	UC2845D		41
UC2845N	UC2845N		41
UC317T	LM317T		33
UC337T	LM337T		33
UC3525AN	SG3525AN		44
UC3526N	SG3526N		44
UC3823DW		MC34023DW	42
UC3823N		MC34023P	42
UC3823Q		MC34023FN	42
UC3825DW		MC34025DW	45
UC3825N		MC34025P	45
UC3825Q		MC34025FN	45
UC3842AD	UC3842AD		41
UC3842AN	UC3842AN		41
UC3842BD	UC3842BD		41
UC3842BN	UC3842BN		41
UC3842D	UC3842AD		41
UC3842N	UC3842AN		41
UC3843AD	UC3843AD		41
UC3843AN	UC3843AN		41
UC3843BD	UC3843BD		42
UC3843BN	UC3843BN		42
UC3843D	UC3843AD		41
UC3843N	UC3843AN		41
UC3844BD	UC3844BD		42
UC3844BN	UC3844BN		42
UC3844D	UC3844D		41
UC3844N	UC3844N		41
UC3845BD	UC3845BD		42
UC3845BN	UC3845BN		42
UC3845D	UC3845D		41
UC3845N	UC3845N		41
UC494ACN		TL594CN	44
UC494CN		TL494CN	44
ULN2003A	MC1413		97
ULN2004A	MC1416		97
ULN2151H	MC1741CP1		20
ULN2151M		MC1741CP1	20
ULN2803A	ULN2803A		97
ULN2804A	ULN2804A		97
ULN8126A	SG3526N		44
ULS2151M		MC1741CP1	20
ULX8161M		MC34060AP	41
XR082CP	TL082CP		21
XR084CP	TL084CN		22