



Intel[®] Integrated RAID Module RMS2LL0x0

Tested Hardware and Operating System List (THOL)

Revision 4.0

August, 2011

Enterprise Platforms and Services Division

Revision History

| Date | Revision Number | Modifications |
|---------------|------------------------|---|
| July 2010 | 1.0 | Initial release |
| December 2010 | 2.0 | Update the following: <ul style="list-style-type: none"> ▪ Firmware Configuration ▪ Intel® Server Board ▪ Enclosures, PCI Adapters, and Peripherals ▪ Hard Disk Drives and Solid State Drives |
| March 2011 | 3.0 | Update the following: <ul style="list-style-type: none"> ▪ Hard Disk Drives and Solid State Drives |
| August 2011 | 4.0 | Update the following: <ul style="list-style-type: none"> ▪ Firmware Configuration ▪ Intel® Server Board ▪ Hard Disk Drives and Solid State Drives |

Disclaimers

THE INFORMATION IN THIS DOCUMENT IS PROVIDED "AS IS" WITH NO WARRANTIES WHATSOEVER, INCLUDING ANY WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY WARRANTY OTHERWISE ARISING OUT OF ANY PROPOSAL, SPECIFICATION, OR SAMPLE.

Information in this document is provided in connection with Intel® products. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document. Except as provided in Intel's Terms and Conditions of Sale for such products, Intel assumes no liability whatsoever, and Intel disclaims any express or implied warranty, relating to sale and/or use of Intel products including liability or warranties relating to fitness for a particular purpose, merchantability, or infringement of any patent, copyright or other intellectual property right. Intel products are not intended for use in medical, life saving, or life sustaining applications.

Intel retains the right to make changes to its test specifications at any time, without notice.

The hardware vendor remains solely responsible for the design, sale and functionality of its product, including any liability arising from product infringement or product warranty.

Copyright © Intel Corporation 2011. All rights reserved.

Intel and the Intel logo are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries.

Table of Contents

| | |
|---|-------------------------------------|
| 1. Introduction | 1 |
| 1.1 Test Overview..... | 1 |
| 1.1.1 Basic Compatibility Testing..... | 1 |
| 1.1.2 Adapter / Peripheral Compatibility and Stress Testing | 2 |
| 1.2 Pass/Fail Test Criteria | 3 |
| 2. Firmware Configurations..... | 4 |
| 3. Operating Systems..... | 5 |
| 3.1 Operating System Certifications | 5 |
| 4. Supported Server Boards and Systems..... | 7 |
| 4.1 Intel® Server Boards and Systems..... | 7 |
| 4.2 3 rd Party Server Boards and Systems..... | 8 |
| 5. Enclosures, PCI Adapters, and Peripherals..... | 9 |
| 5.1 External Storage | 9 |
| 5.2 Internal Storage | 10 |
| Tape and Optical Drives | Error! Bookmark not defined. |
| 6. Hard Disk Drives and Solid State Drives..... | 11 |
| 6.1 Hard Disk Drives and Solid State Drives (SSD)..... | 11 |

<This page intentionally left blank.>

1. Introduction

This document provides users of the Intel® Integrated RAID Module RMS2LL0x0 with a guide to the operating systems, server boards, chassis, disk drives, and other peripherals that Intel tested for use with this RAID controller.

This document will be updated as additional testing is performed, or until the Intel® RAID controller is no longer in production. Each new release of the document will include the information from previous releases.

Intel will only provide support for this RAID controller when it is installed in a system configured with the specified server boards, and when the server board is configured with the tested RAID firmware, system BIOS / firmware, and operating system versions.

This RAID controller was thoroughly tested with Intel® server boards, Intel® drive enclosures, and the third-party devices listed in this document. However, it is not practical to test the RAID controller in every possible combination of server board, drive enclosure, hard drive, and peripheral device. Sample combinations have been tested to gain confidence in their compatibility, and the devices listed were tested in one or more configurations.

1.1 Test Overview

Testing performed on the Intel® Integrated RAID Module RMS2LL0x0 is classified under two categories:

- Compatibility Testing
- Stress Testing

1.1.1 Basic Compatibility Testing

Compatibility testing is performed with each supported operating system. Basic installation testing validates that the RAID controller can be used to install the operating system and that the base hardware feature set is functional. A small set of peripherals are used for installation purposes only. Additional add-in cards are not tested.

Note: *The latest version of an operating system signifies the latest supported version at the time of testing. New releases of this document may include a newly supported release of an operating system. Previous releases of a supported operating system may not be tested beyond the basic compatibility test process.*

1.1.1.1 Support Commitment for Basic Installation Testing

Intel commits to the following level of customer support for operating systems that receive only basic installation testing:

- Intel will provide tested operating system drivers for each of the integrated controllers on the server board, provided the controller vendor has a driver available. Intel does not require vendors to develop drivers for operating systems that they do not already support. This may limit the functionality of certain server board integrated controllers.

- Intel will provide support to customers who experience issues with the integrated controllers due to the installation or functionality of an operating system only if a driver is available.
- Intel does not provide support for issues related to the use of add-in adapters or peripherals installed in the server system with an operating system that received only basic installation testing.
- Support is defined as assistance provided to a customer in root causing an issue and determining an acceptable resolution to the operating system problem. The resolution may include, but is not limited to, on-board controller driver updates, engaging the vendor, BIOS changes, firmware changes, or determining an acceptable workaround for the issue with the customer.

1.1.2 Adapter / Peripheral Compatibility and Stress Testing

Adapter / Peripheral Compatibility and Stress testing is performed only on the most current release of a supported operating system available at the time of testing. The Adapter / Peripheral Compatibility and Stress testing process consists of three areas:

- **Base Platform:** Each base platform will successfully install a given operating system, successfully run a disk stress test, and successfully run a network stress test.
- **Adapter Compatibility:** Adapter compatibility validation (CV) testing uses test suites to gain an accurate view of how the server performs with a wide variety of adapters under the primary supported operating systems. These tests are designed to show hardware compatibility between the cards and the server platform and include functional testing only. CV testing does not include heavy stressing of the systems or the cards.
- **Stress Testing:** This test sequence uses configurations with add-in adapters installed in all available slots (depending on the chassis used), and runs for a minimum of 72 hours (three days) without injecting errors. Each configuration passes an installation test, a network/disk stress test, and tape backup test. Any fatal errors require a restart of the test.

1.1.2.1 Support Commitment for Adapter / Peripheral Compatibility and Stress Testing

Intel will provide the following level of customer support for operating systems that receive Adapter / Peripheral Compatibility and Stress testing:

- Intel will provide support to customers who experience issues with tested operating systems involving the installation or functionality of the server board with or without the adapters and peripherals listed in this document as having been tested under the operating system.
- Support is defined as assistance provided to a customer in root causing an issue and determining an acceptable resolution to the problem. The resolution may include, but is not limited to, on-board controller driver updates, engaging the vendor, BIOS changes, firmware changes, or determining a workaround for the issue.
- Intel provides and tests operating system drivers for each on-board video, network, and storage controller.
- Intel enables vendors to provide driver support for add-in adapters using these operating systems.

- Intel will go through some of the steps to achieve certification to ensure its customers do not encounter problems. The actual certification is the responsibility of the customer.

Note: Intel does not provide a support commitment for operating systems, adapter cards, and peripherals not listed in this document. Intel will consider requests for support on a case-by-case basis.

1.2 Pass/Fail Test Criteria

For each operating system, adapter, and peripheral configuration, a test passes if specific criteria are met. Specific configurations with particular characteristics are addressed on a case-by-case basis. In general, a configuration passes testing if the following conditions are met:

- The operating system installed without error.
 - Manufacturer's installation instructions or Intel's best-known methods were used for the operating system installation.
 - No extraordinary workarounds were required during the operating system installation.
 - The server system behaved as expected during and after the operating system installation.
 - Application software installed and executed normally.
- Hardware compatibility tests ran to completion without error.
- Test software suites executed successfully:
 - Test and data files were created in the correct directories without error.
 - Files copied from the client to the server and back match the original without error.
 - Clients remain connected to the server system.
 - Industry-standard test suites run to completion without error.

2. Firmware Configurations

The following table lists the tested controller and firmware configurations. This document will be updated with additional configurations as new revisions of the Intel® Integrated RAID Module RMS2LL0x0 or firmware versions for that controller are released. Each configuration is assigned an identifier number which is referenced in the tables throughout this document.

Note: *Intel only provides support for adapters and peripherals in the configuration with which they were tested.*

| Base System Identifier # | Product Code | Part Number | Firmware Revision |
|--------------------------|--------------|-------------|-------------------|
| 1 | RMS2LL080 | 907855 | Factory Default |
| | RMS2LL040 | 907856 | |
| 2 | RMS2LL080 | 907855 | 07.00.00.00 |
| | RMS2LL040 | 907856 | |

3. Operating Systems

The following table provides a list of supported operating systems for the Intel® Integrated RAID Module RMS2LL0x0. Each operating system was tested for compatibility with Intel® Integrated RAID Module RMS2LL0x0 configuration listed in Chapter 2. Operating systems are only supported in the specified base system configuration(s) with which they were tested.

The following table also indicates whether each operating system received Basic Installation testing, or Adapter / Peripheral Compatibility and Stress testing. For information on the support commitments for Basic Installation Testing and Adapter / Peripheral Compatibility and Stress Testing, see Chapter 1.

Any variations to the standard operating system installation process are documented in the Installation Guidelines section of this document. If the installation guidelines are not noted in the following table, then the operating system installed as expected using the manufacturer's installation instructions or Intel's best-known methods.

Note: *The operating systems listed in the following table have been tested for compatibility with the Intel® Integrated RAID Module RMS2LL0x0, but the operating system and its associated driver may not have been tested for compatibility with the server board you have selected. Refer to the supported operating system list for your server board to verify operating system compatibility with the server board. This document lists testing performed on Intel® Server Boards only.*

| Ident# | Operating System (with latest Service Pack) | Base System Configuration Tested – Type of Testing |
|--------|--|--|
| 1 | Microsoft Windows 2003* | Configuration 1,2 – Compatibility and Stress |
| 2 | Microsoft Windows 2003*, x64 | Configuration 1,2 – Compatibility and Stress |
| 3 | Microsoft Windows 2008* | Configuration 1,2 – Compatibility and Stress |
| 4 | Microsoft Windows 2008*, x64 | Configuration 1,2 – Compatibility and Stress |
| 5 | Red Hat* Enterprise Linux ES 5 SP5 | Configuration 1,2 – Compatibility and Stress |
| 6 | Red Hat* Enterprise Linux ES 5 SP5, x86_64 | Configuration 1,2 – Compatibility and Stress |
| 7 | SuSE* Linux Enterprise Server 11 SP1 | Configuration 1,2 – Compatibility and Stress |
| 8 | SuSE* Linux Enterprise Server 11 SP1, x86_64 | Configuration 1,2 – Compatibility and Stress |
| 9 | Microsoft Windows Server 2008 R2* | Configuration 1,2 – Compatibility and Stress |
| 10 | Microsoft Windows 7* | Configuration 2 – Compatibility and Stress |
| 11 | Microsoft Windows 7*, x64 | Configuration 2 – Compatibility and Stress |

3.1 Operating System Certifications

The following table lists the operating systems that Intel will certify with the Intel® Integrated RAID Module RMS2LL0x0. Each customer is responsible for their own certification from the individual operating system vendors. In many cases, customers may leverage their operating system certifications from the testing completed by Intel. See the “Comments” column next to each operating system in the following table for additional information. Intel's certifications, pre-certification, and operating system testing may help reduce some of the risk in achieving customer certifications with the operating system vendors.

| Operating System | Certification Listing | Comments |
|---|---|--|
| Microsoft Windows 2003 Enterprise Server* | Intel® Integrated RAID Module RMS2LL0x0 | OEM must request certification by Microsoft for their specific product. http://www.microsoft.com/whdc/hcl/default.aspx |
| Microsoft Windows 2008 Enterprise Server* | Intel® Integrated RAID Module RMS2LL0x0 | OEM must request certification by Microsoft for their specific product. http://www.microsoft.com/whdc/hcl/default.aspx |
| Microsoft Windows 7 Enterprise Server* | Intel® Integrated RAID Module RMS2LL0x0 | OEM must request certification by Microsoft for their specific product. http://www.microsoft.com/whdc/hcl/default.aspx |

4. Supported Server Boards and Systems

4.1 Intel® Server Boards and Systems

Below list includes the Intel® Server Board and System software versions that the server boards and systems were configured with at the time of testing.

| Intel® Server Board | BIOS | BMC | FRU/SDR | HSC |
|-----------------------|-------|-------|---------|------|
| S5520UR* | R0058 | R0057 | 26 | 2.17 |
| S5500WB | R0058 | R0057 | 30 | 2.14 |
| S5520HC / S5520HCT | R0058 | R0057 | 30 | 2.18 |
| S5520HCV | R0058 | R0057 | 30 | 2.18 |
| S5520SC | R0058 | R0057 | 30 | 2.18 |
| S3420GPLX / S3420GPRX | R0049 | R0124 | 20 | N/A |

| Intel® Server System | BIOS | BMC | FRU/SDR | HSC |
|---|-------|-------|---------|------|
| SR1600UR* | R0058 | R0057 | 26 | 2.17 |
| SR1600URHS* (need to work together with the passive backplane ASR1500PASBP which has to be ordered separately as an accessory.) | R0058 | R0057 | 26 | 2.17 |
| SR1625UR* | R0058 | R0057 | 26 | 2.17 |
| SR2600URBRP* | R0058 | R0057 | 26 | 2.17 |
| SR2600URSATA* | R0058 | R0057 | 26 | 2.17 |
| SR2625URBRP* | R0058 | R0057 | 26 | 2.17 |
| SR2612UR | R0058 | R0057 | 26 | 2.17 |
| SR1690WB | R0058 | R0057 | 30 | N/A |
| SR1695WB | R0058 | R0057 | 30 | N/A |
| SC5650SCWS | R0058 | R0057 | 30 | 2.18 |
| SC5650HCBRP | R0058 | R0057 | 30 | 2.18 |
| SR1630GP / SR1630HGP | R0049 | R0124 | 20 | N/A |

Note *: The air duct of Intel® Server System SR2600UR, SR2625UR, SR1625UR and SR1600UR has been upgraded and integrated in the server systems, in order to support Intel® Integrated RAID Module RMS2LL0x0. Users that have the older air duct can contact Intel to get an updated air duct.

Note **: Due to mechanical limitation, the lowest 2U riser card slot in Intel® Server System SR2600UR / SR2625UR / SR2612UR, or the 1U riser card slot in SR1600UR / SR1625UR / SR1690WB / SR1695WB are prohibited to be used when the Intel® Integrated RAID Module RMS2LL0x0 is installed.

Note ***: Due to mechanical limitation, full length PCI-Express cards are prohibited to be used in Intel® Server System SC5650SCWS and SC5650HCBRP.

Note ****: Intel® Integrated RAID Module RMS2LL0x0 is also supported by Intel® Server Chassis SC5600 with Intel® Server Boards S5520HC / S5520HCT, S5520HCV or S5520SC inside.

Note *****: Intel® Integrated RAID Module RMS2LL080 has 8 direct connection SATA ports; RMS2LL040 has 4 direct connection SATA ports. Check the supported hard drive numbers from

compatible Intel® Server Systems above, in order to make proper choice of Intel® Integrated RAID Module.

4.2 3rd Party Server Boards and Systems

Unless specifically noted, the boards and systems below were configured with the latest software versions available at the time of testing. Check with the 3rd party vendors for more details.

| Part Number | Vendor | Product Type |
|-------------|------------|--------------|
| SR105 | Chenbro* | Chassis |
| SR209 | Chenbro* | Chassis |
| NSR104 | CI Design* | Chassis |
| NSR212 | CI Design* | Chassis |
| ESR104 | TST* | Chassis |
| ESR102 | TST* | Chassis |
| RMC1K | T-Win* | Chassis |
| S1421 | IOK* | Chassis |
| ECR9234 | Evercase* | Chassis |

5. Enclosures, PCI Adapters, and Peripherals

The testing of enclosures, add-in cards, and peripherals was performed on the Intel® Integrated RAID Module RMS2LL0x0 by Intel labs, independent test labs, or the vendor. Compatibility and stress testing was performed with the latest version of an operating system available at the time of testing.

Although a large sample of configurations were tested, not all devices were tested under all operating systems, and not all possible combinations or configurations of third-party devices were tested for inter-compatibility due to the large number of possible configurations. To verify compatibility, use the Server Configurator Tool available at <http://serverconfigurator.intel.com/default.aspx>.

Add-in adapter card and peripheral compatibility and stress testing is performed with the latest version of an operating system available at the time of testing. The adapters are divided into categories based on their functionality. All integrated on-board devices are tested by default and are, therefore, not included in the following tables.

Note: *All adapter cards and peripherals were not tested under all operating systems.*

Any variations to the standard adapter installation process or to expected adapter functionality are documented in the Installation Guidelines section of this document. If there are installation guidelines affecting a particular adapter and operating system combination, they are referenced in the following table. If the installation guidelines are not noted in the following table, then the adapter installed and functioned as expected using the manufacturer's installation instructions or Intel's best-known methods.

Note: *Adapter cards are normally tested with unused add-in adapters and on-board controller expansion ROMs disabled in the BIOS Setup. Intel recommends that customers disable the option ROM for add-in controllers and/or the on-board controllers when not booting from the controller or needing to use its built-in utilities.*

5.1 External Storage

None.

5.2 Internal Storage

Note: *The enclosures are listed only if they were attached to the Intel® Integrated RAID Module RMS2LL0x0 during testing. There is no out-of-band enclosure management for a second backplane, so the only way to get enclosure management with two backplanes is to use at least one expander backplane with the Intel® Integrated RAID Module RMS2LL0x0.*

Please refer to Section 4.1 for details.

6. Hard Disk Drives and Solid State Drives

The testing of hard disk drives and solid state drives was performed with the Intel® Integrated RAID Module RMS2LL0x0 by Intel labs, independent test labs, or vendors. The compatibility and stress testing is performed with the latest version of an operating system available at the time of testing. Although a large sample of configurations was tested, not all devices were tested under all operating systems, and not all possible combinations or configurations of third-party devices were tested for inter-compatibility due to the large number of possible configurations. To verify that the device is included for the server board as well as for the Intel® Integrated RAID Module RMS2LL0x0, use the Server Configurator tool available at: <http://serverconfigurator.intel.com/default.aspx>.

Note: All hard disk drives and solid state drives were not tested under all operating systems.

Any variations to the standard adapter installation process or to the expected adapter functionality are documented in the 'Installation Guidelines' section of this document. If there are installation guidelines affecting a particular adapter and operating system combination, these are referenced in the following table. If the installation guidelines are not noted in the following table, then the adapter installed and functioned as expected using the manufacturer's installation instructions or Intel's best-known methods.

6.1 Hard Disk Drives and Solid State Drives (SSD)

Note: The hard disk drives and solid state drives are listed in the following table only if they were attached to the Intel® Integrated RAID Module RMS2LL0x0 during testing.

Note: To select hard drives for Intel® Server Chassis and Intel® Server System, please use the Server Configurator tool available at: <http://serverconfigurator.intel.com/default.aspx>.

Solid State Drive List:

| Manufacture | Type | Speed | Model | FW version | Capacity | Size |
|-------------|------|-------|-----------------------|------------|----------|------|
| ADATA | SATA | 3Gb/s | AS599S-128GM-C | 3.1.0 | 128GB | 2.5" |
| ADATA | SATA | 3Gb/s | AS599S-256GM-C | 3.1.0 | 256GB | 2.5" |
| ANOBIT | SATA | 3Gb/s | Genesis-1 | 2.21 | 200GB | 3.5" |
| Intel | SATA | 6Gb/s | SSDSC2MH250A2xx | PWG4 | 250GB | 2.5" |
| Intel | SATA | 6Gb/s | SSDSC2MH120A2xx | PPG4 | 120GB | 2.5" |
| Intel | SATA | 3Gb/s | SSDSA2BW80G3 | 302 | 80GB | 2.5" |
| Intel | SATA | 3Gb/s | SSDSA2BW120G3 | 302 | 120GB | 2.5" |
| Intel | SATA | 3Gb/s | SSDSA2BW160G3 | 302 | 160GB | 2.5" |
| Intel | SATA | 3Gb/s | SSDSA2BW300G3 | 302 | 300GB | 2.5" |
| Intel | SATA | 3Gb/s | SSDSA2BW600G3 | 302 | 600GB | 2.5" |
| Intel | SATA | 3Gb/s | SSDSA2BZ100G3 | 350 | 200GB | 2.5" |
| Intel | SATA | 3Gb/s | SSDSA2BZ200G3 | 350 | 200GB | 2.5" |
| Intel | SATA | 3Gb/s | SSDSA2BZ300G3 | 350 | 200GB | 2.5" |
| Intel | SATA | 3Gb/s | X25-E,SSDSA2SH032G1 | 8790 | 32GB | 2.5" |
| Intel | SATA | 3Gb/s | X25-E,SSDSA2SH064G1 | 8790 | 64GB | 2.5" |
| Intel | SATA | 3Gb/s | X25-E,SSDSA2SH064G1GN | 8850 | 64GB | 2.5" |
| Intel | SATA | 3Gb/s | X25-M,SSDSA2MH080G1 | 8626 | 80GB | 2.5" |
| Intel | SATA | 3Gb/s | X25-M,SSDSA2ME20 | 350 | 200GB | 2.5" |
| Intel | SATA | 3Gb/s | X25-M,SSDSA2MH160G1 | 8820/8626 | 160GB | 2.5" |

| Manufacture | Type | Speed | Model | FW version | Capacity | Size |
|-----------------|------|---------|-----------------------|------------|----------|------|
| Intel | SATA | 3Gb/s | X25-M,SSDSA2M080G2GC | 02HD | 80GB | 2.5" |
| Intel | SATA | 3Gb/s | X25-M,SSDSA2MH160G2GC | 02HD | 160GB | 2.5" |
| Micron | SATA | 6Gb/s | MTFDDAC100SAL-1N1AA | 0001 | 200GB | 2.5" |
| Micron | SATA | 6Gb/s | MTFDDAC200SAL-1N1AA | 0001 | 100GB | 2.5" |
| Micron | SATA | 6Gb/s | MTFDDAC50SAL-1N1AA | 0001 | 50GB | 2.5" |
| Micron | SATA | 6Gb/s | MTFDDAK064MAG-1G1 | 0002 | 64GB | 2.5" |
| Micron | SATA | 6Gb/s | MTFDDAK128MAG-1G1 | 0002 | 128GB | 2.5" |
| Micron | SATA | 6Gb/s | MTFDDAK256MAG-1G1 | 0002 | 256GB | 2.5" |
| ADATA* | SATA | 3Gb/s | AS599S-100GM-C | 80GB | rev 5.0 | 2.5" |
| ADATA* | SATA | 3Gb/s | AS599S-128GM-C | 3.1.0 | 128GB | 2.5" |
| ADATA* | SATA | 3Gb/s | AS599S-256GM-C | 3.1.0 | 256GB | 2.5" |
| Intel* | SATA | 6Gb/s | SSDSC2MH120A2C | PPXM | 120G | 2.5" |
| Intel* | SATA | 3Gb/s | SSDSA2BW160G3 | 0266 | 160GB | 2.5" |
| Intel* | SATA | 3Gb/s | X25-E,SSDSA2SH032G1 | 8650 | 32GB | 2.5" |
| Intel* | SATA | 3Gb/s | X25-E,SSDSA2SH064G1 | 8650 | 64GB | 2.5" |
| Intel* | SATA | 3Gb/s | X25-E,SSDSA2SH064G1GN | 8820 | 64GB | 2.5" |
| Intel* | SATA | 3Gb/s | X25-M,SSDSA2MH080G1 | 8626 | 80GB | 2.5" |
| Intel* | SATA | 3Gb/s | X25-M,SSDSA2MH160G1 | 8626 | 160GB | 2.5" |
| Intel* | SATA | 3Gb/s | X25-M,SSDSA2MH160G1 | 8820 | 160GB | 2.5" |
| Intel* | SATA | 3Gb/s | X25-M,SSDSA2M080G2GC | 02HD | 80GB | 2.5" |
| Intel* | SATA | 3Gb/s | X25-M,SSDSA2MH160G2GC | 02HD | 160GB | 2.5" |
| Micron* | SATA | 6Gb/s | MTFDDAC050SAL-1N1AA | 0001 | 50GB | 2.5" |
| Micron* | SATA | 6Gb/s | P300-MTFDDAC100SAL | 0001 | 100GB | 2.5" |
| Micron* | SATA | 6Gb/s | MTFDDAC200SAL-1N1AA | 0001 | 200GB | 2.5" |
| Micron* | SATA | 6Gb/s | MTFDDAK064MAG-1G1 | 0002 | 64GB | 2.5" |
| Micron* | SATA | 6Gb/s | MTFDDAK128MAG-1G1 | 0002 | 128GB | 2.5" |
| Micron* | SATA | 6Gb/s | MTFDDAK256MAG-1G1 | 0002 | 256GB | 2.5" |
| OCZ Technology* | SATA | 3Gb/s | ITDCSTE025M2002 | 1.5E | 240GB | 2.5" |
| Patriot Memory* | SATA | 3Gb/s | PatriotTorqx12 | 1881 | 120GB | 2.5" |
| PLIANT* | SAS | 3Gb/s | LS300S | T101 | 300GB | 3.5" |
| ANOBIT* | SATA | 3Gb/s | Genesis-1 | 0002 | 200GB | 3.5" |
| Samsung* | SATA | 3Gb/s | MCBQE25G | | 25GB | 2.5" |
| Samsung* | SATA | 3Gb/s | 2.5"50GBSSDSATA | 803Q | 50GB | 2.5" |
| Samsung* | SATA | 3Gb/s | 2.5"100GBSSDSATA | 803Q | 100GB | 2.5" |
| UNIGEN* | SATA | 3Gb/s | UGB88PGB100HB1-ES | RC Rev1 | 100GB | 2.5" |
| UNIGEN* | SATA | 3Gb/s | UGB88APT128HS3 | 1916 | 128GB | 2.5" |
| SUPER TALENT* | SATA | 3Gb/s | FTM12CT25H | STTMP2 | 120GB | 2.5" |
| STEC* | SATA | 1.5Gb/s | MACH8 IO | 2084 | 22GB | 2.5" |
| STEC* | SATA | 1.5Gb/s | M8ISB2-25UC | 2119 | 25GB | 2.5" |
| STEC* | SATA | 1.5Gb/s | M8ISB2-50UC | 2119 | 50GB | 2.5" |

Hard Disk Drive List:

| Manufacture | Type | Speed | Model | FW version | Capacity | Size | RPM |
|-------------|------|-------|-----------|------------|----------|------|-----|
| Toshiba* | SAS | 6Gb/s | MBF2600RC | 0107 | 600GB | 2.5" | 10K |
| Fujitsu* | SAS | 6Gb/s | MBE2073RC | 0103 | 73GB | 2.5" | 15K |
| Fujitsu* | SAS | 6Gb/s | MBD2300RC | D807 | 300GB | 2.5" | 10K |
| Fujitsu* | SAS | 6Gb/s | MBD2147RC | 0102 | 147GB | 2.5" | 10K |
| Fujitsu* | SAS | 6Gb/s | MBD2147RC | 0101 | 147GB | 3.5" | 10K |
| Fujitsu* | SAS | 6Gb/s | MBE2147RC | 0103 | 147GB | 3.5" | 15K |
| Fujitsu* | SAS | 3Gb/s | MBB2147RC | 0105 | 147GB | 2.5" | 10K |

| Manufacture | Type | Speed | Model | FW version | Capacity | Size | RPM |
|-------------|------|-------|------------------|------------|----------|------|------|
| Fujitsu* | SAS | 3Gb/s | MAX3147RC | 21B5 | 147GB | 3.5" | 15K |
| Fujitsu* | SAS | 3Gb/s | MAX3147RC | 5202 | 146GB | 3.5" | 15K |
| Fujitsu* | SAS | 3Gb/s | MBA3147RC | D305 | 146GB | 3.5" | 15K |
| Fujitsu* | SAS | 3Gb/s | MBA3147RC | 0103 | 147GB | 3.5" | 15K |
| Fujitsu* | SAS | 3Gb/s | MBA3300RC | 0103 | 300GB | 3.5" | 15K |
| Fujitsu* | SAS | 3Gb/s | MAX3036RC | 0104 | 36GB | 3.5" | 15K |
| Fujitsu* | SAS | 3Gb/s | MAX3073RC | T904 | 73GB | 3.5" | 15K |
| Fujitsu* | SAS | 3Gb/s | MAU3147RC | 0104 | 36GB | 3.5" | 15K |
| Fujitsu* | SATA | 3Gb/s | MHZ2080BJ | 011B | 80GB | 2.5" | 7200 |
| Fujitsu* | SATA | 3Gb/s | MHZ2320B | 0009 | 320GB | 2.5" | 5400 |
| Fujitsu* | SATA | 3Gb/s | MHZ2320B | 001E | 320GB | 2.5" | 5400 |
| Fujitsu* | SATA | 3Gb/s | MJA2320B | 0018 | 320GB | 2.5" | 5400 |
| Fujitsu* | SATA | 3Gb/s | MHZ2160B | 011E | 160GB | 2.5" | 7200 |
| Maxtor* | SAS | 3Gb/s | 8J300S0 | MS05 | 300GB | 3.5" | 10K |
| Maxtor* | SAS | 3Gb/s | 8K147S0 | MS05 | 147GB | 3.5" | 15K |
| Maxtor* | SAS | 3Gb/s | ATLAS10K5_036SAS | BK00 | 36GB | 3.5" | 10K |
| Maxtor* | SAS | 3Gb/s | ATLAS10K5_300SAS | BP05 | 300GB | 3.5" | 10K |
| Maxtor* | SAS | 3Gb/s | ATLAS10K5_073SAS | BP05 | 73GB | 3.5" | 10K |
| Maxtor* | SAS | 3Gb/s | ATLAS10K5_036SAS | BP05 | 36GB | 3.5" | 10K |
| Maxtor* | SAS | 3Gb/s | ATLAS10K5_073SAS | BP00 | 73GB | 3.5" | 10K |
| Maxtor* | SAS | 3Gb/s | ATLAS10K5_073SAS | S412 | 73GB | 3.5" | 10K |
| Maxtor* | SAS | 3Gb/s | ATLAS10K5_147 | BP05 | 147GB | 3.5" | 10K |
| Maxtor* | SAS | 3Gb/s | ATLAS10K5_300SAS | BP00 | 300GB | 3.5" | 10K |
| Maxtor* | SAS | 3Gb/s | ATLAS10K5_300SAS | BP05 | 300GB | 3.5" | 10K |
| Maxtor* | SATA | 3Gb/s | 7L300S0 | 1G10 | 300GB | 3.5" | 7200 |
| Samsung* | SATA | 3Gb/s | HE103UJ | 1111 | 1TB | 3.5" | 7200 |
| Samsung* | SATA | 3Gb/s | HE103UJ | 0-33 | 1TB | 3.5" | 7200 |
| Samsung* | SATA | 3Gb/s | HE103UJ | 0192 | 1TB | 3.5" | 7200 |
| Samsung* | SATA | 3Gb/s | HD160JJ | 0-41 | 160GB | 3.5" | 7200 |
| Samsung* | SATA | 3Gb/s | SP2004C | 0-32 | 200GB | 3.5" | 7200 |
| Samsung* | SATA | 3Gb/s | SP2504C | 0-33 | 250GB | 3.5" | 7200 |
| Hitachi* | SAS | 6Gb/s | HUC106060CSS600 | A840 | 600GB | 2.5" | 10K |
| Hitachi* | SAS | 6Gb/s | HUC106060CSS601 | B852 | 600GB | 2.5" | FDE |
| Hitachi* | SAS | 6Gb/s | HUC106060CSS600 | A150 | 600GB | 2.5" | 10K |
| Hitachi* | SAS | 6Gb/s | HUC103014CSS600 | A120 | 147GB | 2.5" | 10K |
| Hitachi* | SAS | 6Gb/s | HUS156030VLS600 | A538 | 300GB | 3.5" | 15K |
| Hitachi* | SAS | 6Gb/s | HUC151414CSS600 | A330 | 147GB | 2.5" | 15K |
| Hitachi* | SAS | 6Gb/s | HUC151473CSS600 | A330 | 73GB | 2.5" | 15K |
| Hitachi* | SAS | 6Gb/s | HUC103030CSS600 | A120 | 300GB | 2.5" | 10K |
| Hitachi* | SAS | 6Gb/s | HUC151414CSS600 | a370 | 147GB | 2.5" | 15K |
| Hitachi* | SAS | 6Gb/s | HUC103014CSS600 | A120 | 300GB | 2.5" | 10K |
| Hitachi* | SAS | 6Gb/s | HUS156060VLS601 | B530 | 600GB | 3.5" | SED |
| Hitachi* | SAS | 3Gb/s | HDP72502 | A50E | 250GB | 3.5" | 7200 |
| Hitachi* | SAS | 6Gb/s | HUC156060VLS600 | A370 | 600GB | 3.5" | 15K |
| Hitachi* | SAS | 3Gb/s | HUS151414VLS300 | A420 | 136GB | 3.5" | 15K |
| Hitachi* | SAS | 3Gb/s | HUS151436VLS300 | A130 | 36GB | 3.5" | 15K |
| Hitachi* | SAS | 3Gb/s | HUS151473VLS300 | A340 | 73GB | 3.5" | 15K |
| Hitachi* | SAS | 3Gb/s | HUS153073VLS300 | A110 | 73GB | 3.5" | 15K |
| Hitachi* | SAS | 3Gb/s | HUS154530VLS300 | A4B0 | 300GB | 3.5" | 15K |
| Hitachi* | SAS | 3Gb/s | HUS154545VLS300 | A4B0 | 450GB | 3.5" | 15K |
| Hitachi* | SATA | 3Gb/s | HDS72202ALA330 | A20N | 2TB | 3.5" | 7200 |
| Hitachi* | SATA | 3Gb/s | HUA7220202ALA330 | 28A | 2TB | 3.5" | 7200 |
| Hitachi* | SATA | 3Gb/s | HUA722010CLA330 | 25C | 1TB | 3.5" | 7200 |
| Hitachi* | SATA | 3Gb/s | HDT72010SLA360 | 3A33 | 1TB | 3.5" | 7200 |
| Hitachi* | SATA | 3Gb/s | HDS72161 | AB1A | 164GB | 3.5" | 5400 |
| Hitachi* | SATA | 3Gb/s | HDS72161 | P22O | 160GB | 3.5" | 5400 |

| Manufacture | Type | Speed | Model | FW version | Capacity | Size | RPM |
|-------------|------|-------|----------------------|------------|----------|------|------|
| Hitachi* | SATA | 3Gb/s | HDS722512VLSA80 | A63A | 120GB | 3.5" | 7200 |
| Hitachi* | SATA | 3Gb/s | HDS725050KLA360 | KRVN | 500GB | 3.5" | 7200 |
| Hitachi* | SATA | 3Gb/s | HDS725050KLA360 | AB0A | 470GB | 3.5" | 7200 |
| Hitachi* | SATA | 3Gb/s | HDS725050KLA360 | 39M0 | 250GB | 3.5" | 7200 |
| Hitachi* | SATA | 3Gb/s | HDS728080PLA380 | A6BA | 80GB | 3.5" | 7200 |
| Hitachi* | SATA | 6Gb/s | HDS723030ALA640 | A380 | 3TB | 3.5" | 7200 |
| Hitachi* | SATA | 3Gb/s | HUA72201 | A25C | 1TB | 3.5" | 7200 |
| Hitachi* | SATA | 3Gb/s | HUA72201 | A39C | 1TB | 3.5" | 7200 |
| IBM* | SAS | 6Gb/s | IBM-ESXS ST973452SS | B623 | 73GB | 2.5" | 15K |
| IBM* | SAS | 6Gb/s | ESXSST973451SS | B612 | 73GB | 2.5" | 15K |
| IBM* | SAS | 6Gb/s | ESXSST9146852SS | B623 | 140GB | 2.5" | 15K |
| IBM* | SAS | 6Gb/s | ESXSST9146802SS | B52G | 146GB | 2.5" | 10K |
| IBM* | SAS | 3Gb/s | ESXSBBAA036C3ESTT0Z | NBH0 | 36GB | 3.5" | 10K |
| IBM* | SAS | 3Gb/s | ESXSBBAA073C3ESTT0Z | NBH0 | 73GB | 3.5" | 10K |
| IBM* | SAS | 3Gb/s | ESXSGNA073C3ESTT0Z | NBH0 | 73GB | 3.5" | 10K |
| IBM* | SAS | 3Gb/s | ESXSGNA300C3ESTT0Z | NBH0 | 300GB | 3.5" | |
| IBM* | SAS | 3Gb/s | ESXS MAX3036RC | T904 | 36GB | 3.5" | 15K |
| IBM* | SAS | 3Gb/s | ESXS MAX3147RC | T904 | 147GB | 3.5" | 15K |
| IBM* | SAS | 3Gb/s | ESXS MB2073RC | SB01 | 72GB | 2.5" | 10K |
| IBM* | SAS | 3Gb/s | ESXS MB2147RC | SB04 | 146GB | 2.5" | 10K |
| IBM* | SAS | 3Gb/s | ESXSST336754SS | BA17 | 36GB | 3.5" | 15K |
| IBM* | SAS | 3Gb/s | ESXS GNA300C3ESTT0Z | BH0D | 300GB | 3.5" | |
| IBM* | SAS | 3Gb/s | ESXSST973451SS | B612 | 73GB | 2.5" | 15K |
| IBM* | SAS | 3Gb/s | ESXS VPA073C3 | NA49 | 73GB | 3.5" | |
| IBM* | SAS | 3Gb/s | ESXS VPA146C3 | NA54 | 146GB | 3.5" | |
| IBM* | SAS | 3Gb/s | ESXS VPA146C3 | NA49 | 146GB | 3.5" | |
| IBM* | SAS | 3Gb/s | BBA036C3ESTT0Z | BH0D | 36GB | 3.5" | |
| IBM* | SAS | 3Gb/s | GNA073C3ESTT0Z | BH0D | 73GB | 3.5" | |
| IBM* | SAS | 3Gb/s | IBM-ESXS ST3300555SS | BA33 | 300GB | 3.5" | 15K |
| IBM* | SAS | 3Gb/s | IBM-ESXS ST336754SS | BA17 | 36GB | 3.5" | 15K |
| IBM* | SAS | 3Gb/s | VPA073C3-ETS10 | A49B | 73GB | 3.5" | |
| IBM* | SAS | 3Gb/s | VPA073C3-ETS10 | A49A | 73GB | 3.5" | |
| IBM* | SAS | 3Gb/s | VPA073C3-ETS10 | A540 | 73GB | 3.5" | |
| IBM* | SAS | 3Gb/s | GNA073C3ESTT0Z | NBH0 | 73GB | 3.5" | |
| IBM* | SAS | 3Gb/s | VPA146C3-ETS10 | NA49 | 146GB | 3.5" | |
| Seagate* | SAS | 6Gb/s | ST9450404SS | 0004 | 450GB | 2.5" | 10K |
| Seagate* | SAS | 6Gb/s | ST973352SS | 0002 | 73GB | 2.5" | SED |
| Seagate* | SAS | 6Gb/s | ST32000444SS | 0004 | 2TB | 3.5" | 7200 |
| Seagate* | SAS | 6Gb/s | ST31000424SS | 0004 | 1TB | 3.5" | 7200 |
| Seagate* | SAS | 6Gb/s | ST33000650SS | F901 | 3TB | 3.5" | 7200 |
| Seagate* | SAS | 6GB/s | ST9500431SS | DSF0 | 500GB | 2.5" | 7200 |
| Seagate* | SAS | 6GB/s | ST973452SS | B623 | 73GB | 2.5" | 15K |
| Seagate* | SAS | 6GB/s | ST973402SS | MS00 | 73GB | 2.5" | 15K |
| Seagate* | SAS | 6GB/s | ST9146803SS | 0002 | 147GB | 2.5" | 15K |
| Seagate* | SAS | 6GB/s | ST9146803SS | 0004 | 147GB | 2.5" | 15K |
| Seagate* | SAS | 6GB/s | ST9146852SS | B623 | 146GB | 2.5" | 15K |
| Seagate* | SAS | 6GB/s | ST9300503SS | FSF4 | 300GB | 2.5" | 10K |
| Seagate* | SAS | 6GB/s | ST3300657SS | 0005 | 300GB | 3.5" | 15K |
| Seagate* | SAS | 6GB/s | ST3450802SS | 0004 | 450GB | 3.5" | 10K |
| Seagate* | SAS | 6Gb/s | ST3450857SS | 0005 | 450GB | 3.5" | 15K |
| Seagate* | SAS | 6Gb/s | ST9300503SS | FT00 | 300GB | 2.5" | SED |
| Seagate* | SAS | 6Gb/s | ST9146703SS | FT00 | 146GB | 2.5" | SED |
| Seagate* | SAS | 3Gb/s | ST973402SS | MS003 | 73GB | 2.5" | 10K |
| Seagate* | SAS | 6Gb/s | ST9146803SS | 0004 | 146GB | 2.5" | 10K |
| Seagate* | SAS | 6Gb/s | ST9146852SS | B623 | 146GB | 2.5" | 15K |
| Seagate* | SAS | 6Gb/s | ST973452SS | B623 | 73GB | 2.5" | 15K |

| Manufacture | Type | Speed | Model | FW version | Capacity | Size | RPM |
|------------------|------|-------|-------------------|------------|----------|------|----------|
| Seagate* | SAS | 6Gb/s | ST9146802SS | MSB0 | 146GB | 3.5" | 10K |
| Seagate* | SAS | 6Gb/s | ST3450802SS | 0004 | 450GB | 3.5" | 10K |
| Seagate* | SAS | 6Gb/s | ST9300603SS | 0002 | 300GB | 2.5" | 10K |
| Seagate* | SAS | 6GB/s | ST3600002SS | 0002 | 600GB | 3.5" | 10K |
| Seagate* | SAS | 6Gb/s | ST9500430SS | 0001 | 500GB | 2.5" | 7200 |
| Seagate* | SAS | 6Gb/s | ST3500414SS | 0004 | 500GB | 3.5" | 7200 |
| Seagate* | SAS | 3Gb/s | ST3300555SS | BA33 | 300GB | 3.5" | 15K |
| Seagate* | SAS | 3Gb/s | ST3300655SS | 13LM042JJ | 300GB | 3.5" | 15K |
| Seagate* | SAS | 3Gb/s | ST314854SS | 0004 | 146GB | 3.5" | 15K |
| Seagate* | SAS | 3Gb/s | ST3300655SS | 13LM042JJ | 300GB | 3.5" | 15K |
| Seagate* | SAS | 3Gb/s | ST336754SS | S412 | 33GB | 3.5" | 15K |
| Seagate* | SAS | 3Gb/s | ST336754SS | 0002 | 36GB | 3.5" | 15K |
| Seagate* | SAS | 3Gb/s | ST336754SS | S410 | 36GB | 3.5" | 15K |
| Seagate* | SAS | 3Gb/s | ST336754SS | 23KQ | 36GB | 3.5" | 15K |
| Seagate* | SAS | 3Gb/s | ST336754SS | 0002 | 36GB | 3.5" | 15K |
| Seagate* | SAS | 3Gb/s | ST336754SS | BA17 | 36GB | 3.5" | 15K |
| Seagate* | SAS | 3Gb/s | ST336754SS | MS02 | 36GB | 3.5" | 15K |
| Seagate* | SAS | 3Gb/s | ST336754SS | S400 | 36GB | 3.5" | 15K |
| Seagate* | SAS | 3Gb/s | ST373454SS | 0003 | 73GB | 3.5" | 15K |
| Seagate* | SAS | 3Gb/s | ST373454SS | S412 | 73GB | 3.5" | 15K |
| Seagate* | SAS | 3Gb/s | ST373454SS | 33KP | 73GB | 3.5" | 15K |
| Seagate* | SAS | 3Gb/s | ST373454SS | MSB03 | 73GB | 3.5" | 15K |
| Seagate* | SAS | 3Gb/s | ST373454SS | 0002 | 70GB | 3.5" | 15K |
| Seagate* | SAS | 3Gb/s | ST373455SS | BA23 | 74GB | 3.5" | 15K |
| Seagate* | SAS | 3Gb/s | ST973402SS | MSB0 | 73GB | 2.5" | 10K |
| Seagate* | SATA | 6Gb/s | ST33000650NS | ZZZZ | 3TB | 3.5" | 7200 |
| Seagate* | SATA | 3Gb/s | ST3500641NS | K2A0 | 500GB | 3.5" | 7200 |
| Seagate* | SATA | 3Gb/s | ST3160023AS | 0003 | 160GB | 3.5" | 7200 |
| Seagate* | SATA | 3Gb/s | ST3160827AS | 3.42 | 160GB | 3.5" | 7200 |
| Seagate* | SATA | 3Gb/s | ST3250824AS | H | 250GB | 3.5" | 7200 |
| Seagate* | SATA | 3Gb/s | ST3250824AS | 4ND3 | 150GB | 3.5" | 7200 |
| Seagate* | SATA | 3Gb/s | ST330831AS | 3.01 | 280GB | 3.5" | 7200 |
| Seagate* | SATA | 3Gb/s | ST3500630NS | AEG | 500GB | 3.5" | 7200 |
| Seagate* | SATA | 3Gb/s | ST3200540AS | CC83 | 2TB | 3.5" | 4K Media |
| Seagate* | SATA | 3Gb/s | ST3500641NS | S0 | 500GB | 3.5" | 7200 |
| Seagate* | SATA | 3Gb/s | ST3500641NS | P | 500GB | 3.5" | 7200 |
| Seagate* | SATA | 3Gb/s | ST3750640NS | E | 750GB | 3.5" | 7200 |
| Seagate* | SATA | 3Gb/s | ST3750840NS | E | 750GB | 3.5" | 7200 |
| Seagate* | SATA | 3Gb/s | ST380013AS | 3.18 | 80GB | 3.5" | 7200 |
| Seagate* | SATA | 3Gb/s | ST380815AS | D | 80GB | 3.5" | 7200 |
| Seagate* | SATA | 3Gb/s | ST9500530NS | SN02 | 500GB | 2.5" | 7200 |
| Seagate* | SATA | 3Gb/s | ST31000340NS | SN06 | 1TB | 3.5" | 7200 |
| Seagate* | SATA | 3Gb/s | ST32000644NS | SN11 | 2TB | 3.5" | 7200 |
| Seagate* | SAS | 3Gb/s | ST973402SS | MS00 | 73GB | 2.5" | 10K |
| Seagate* | SATA | 3Gb/s | ST380013AS | 3.18 | 80GB | 3.5" | |
| Seagate* | SAS | 3Gb/s | ST373455SS | S513 | 73GB | 3.5" | 15K |
| Seagate* | SAS | 3Gb/s | ST336754SS | S400 | 36GB | 3.5" | |
| Seagate* | SAS | 3Gb/s | ST936751SS | 0001 | 36GB | 2.5" | 15K |
| Seagate* | SAS | 3Gb/s | ST9146802SS | 0002 | 147GB | 2.5" | 10K |
| Seagate* | SAS | 3Gb/s | ST3146854SS | S412 | 146GB | 3.5" | 15K |
| Seagate* | SAS | 3Gb/s | ST3146854SS | S410 | 146GB | 3.5" | 15K |
| Seagate* | SAS | 3Gb/s | ST3146854SS | 0003 | 136GB | 3.5" | 15K |
| Seagate* | SAS | 3Gb/s | ST3146854SS | 0002 | 146GB | 3.5" | 15K |
| Western Digital* | SAS | 6Gb/s | WD1460BKFG-02P2V0 | RG00 | 146GB | 2.5" | 10K |
| Western Digital* | SAS | 6Gb/s | WD3000BKFG-02P2V0 | RG00 | 300GB | 2.5" | 10K |

| Manufacture | Type | Speed | Model | FW version | Capacity | Size | RPM |
|------------------|------|-------|--------------------|------------|----------|------|----------|
| Western Digital* | SAS | 6Gb/s | WD6000BKHG-02A29V0 | VG01 | 600GB | 2.5" | 10K |
| Western Digital* | SATA | 6Gb/s | WD6000BLHX-01V7BV0 | 5G04 | 600GB | 2.5" | 10K |
| Western Digital* | SATA | 6Gb/s | WD5003ABYX-01WERA0 | 1S01 | 500GB | 3.5" | 7200 |
| Western Digital* | SATA | 6Gb/s | WD1003FBYX-01Y7B0 | 1V01 | 1TB | 3.5" | 7200 |
| Western Digital* | SATA | 3Gb/s | WD2002FYPS-02W3B0 | 1G01 | 2TB | 3.5" | 5400 |
| Western Digital* | SATA | 3Gb/s | WD2003FYYS-0 | 1D01 | 2TB | 3.5" | 7200 |
| Western Digital* | SATA | 3Gb/s | WD2002FYPS0 | 5G04 | 2TB | 3.5" | 5400 |
| Western Digital* | SATA | 3Gb/s | WD10EADS11M | 0A80 | 1TB | 3.5" | 4K Media |
| Western Digital* | SATA | 3Gb/s | WD2002FYPS | 5G04 | 2TB | 3.5" | 7200 |
| Western Digital* | SATA | 3Gb/s | WD1000FYPS-0 | 1B01 | 1TB | 3.5" | 7200 |
| Western Digital* | SATA | 3Gb/s | WD1600AAJS | 6H05 | 160GB | 3.5" | 7200 |
| Western Digital* | SATA | 3Gb/s | WD1600YS | 23S6C04 | 160GB | 3.5" | 7200 |
| Western Digital* | SATA | 3Gb/s | WD1600YS | 1C03 | 160GB | 3.5" | 7200 |
| Western Digital* | SATA | 3Gb/s | WD1600YS-01S | 6C06 | 160GB | 3.5" | 7200 |
| Western Digital* | SATA | 3Gb/s | WD1600YS-23S6C04 | WCAP | 160GB | 3.5" | 7200 |
| Western Digital* | SATA | 3Gb/s | WD2500YS | 6C07 | 250GB | 3.5" | 7200 |
| Western Digital* | SATA | 3Gb/s | WD2500YS-18S | 6C07 | 250GB | 3.5" | 7200 |
| Western Digital* | SATA | 3Gb/s | WD2502ABYS-2 | 3B04 | 250GB | 3.5" | 7200 |
| Western Digital* | SATA | 3Gb/s | WD4000YR | 6A01 | 400GB | 3.5" | 7200 |
| Western Digital* | SATA | 3Gb/s | WD4000YR-01P | 6A01 | 400GB | 3.5" | 7200 |
| Western Digital* | SATA | 3Gb/s | WD5000ABPS-0 | 1B01 | 500GB | 3.5" | 7200 |
| Western Digital* | SATA | 3Gb/s | WD5000ABPS-01ZZB0 | 2.01 | 500GB | 3.5" | 7200 |
| Western Digital* | SATA | 3Gb/s | WD5000KS | 2E06 | 500GB | 3.5" | 7200 |
| Western Digital* | SATA | 3Gb/s | WD5000YS | 01M2E07 | 500GB | 3.5" | 7200 |
| Western Digital* | SATA | 3Gb/s | WD5000YS | 00.E | 500GB | 3.5" | 7200 |
| Western Digital* | SATA | 3Gb/s | WD7500AAKS | 04G30 | 750GB | 3.5" | 7200 |
| Western Digital* | SATA | 3Gb/s | WD7500AAKS-0 | 30 | 750GB | 3.5" | 7200 |
| Western Digital* | SATA | 3Gb/s | WD800JD | 01E01 | 80GB | 3.5" | 7200 |
| Western Digital* | SATA | 3Gb/s | WD5000ABPS | 2.01 | 500GB | 3.5" | 7200 |

Below drives were supported at this RAID module's launch day.

| Manufacturer | Model Name | Model Number | Interface | RPM | Drive Size |
|--------------|----------------------|---------------|-------------|--------|------------|
| Intel | Intel X25-M SATA SSD | SSDSA2MH080G2 | SATA 3.0 Gb | N/A | 80GB |
| Intel | Intel X25-M SATA SSD | SSDSA2MH160G2 | SATA 3.0 Gb | N/A | 160GB |
| Intel | Intel X25-M SATA SSD | SSDSA2M040G2 | SATA 3.0 Gb | N/A | 40GB |
| Intel | X25-E SLC SSD | SSDSA2SH064G1 | SATA 3.0 Gb | N/A | 64GB |
| Intel | X25-E SLC SSD | SSDSA2SH032G1 | SATA 3.0 Gb | N/A | 32GB |
| Intel | X25-M MLC SSD | SSDSA2MH160G1 | SATA 3.0 Gb | N/A | 160GB |
| Intel | X25-M MLC SSD | SSDSA2MH080G1 | SATA 3.0 Gb | N/A | 80GB |
| Seagate | Cheetah* 15K.6 SAS | ST3450856SS* | SAS 3.0 Gb | 15000 | 450GB |
| Seagate | Cheetah*15K.6 SAS | ST3146356SS* | SAS 3.0 Gb | 15,000 | 146GB |
| Seagate | Cheetah* 15K.6 SAS | ST3300656SS* | SAS 3.0 Gb | 15,000 | 300GB |
| Seagate | Cheetah*15K.7 SAS | ST3300657SS* | SAS 6.0 Gb | 15,000 | 300GB |
| Seagate | Cheetah*15K.7 SAS | ST3450857SS* | SAS 6.0 Gb | 15,000 | 450GB |
| Seagate | Cheetah*15K.7 SAS | ST3600057SS* | SAS 6.0 Gb | 15,000 | 600GB |

| Manufacturer | Model Name | Model Number | Interface | RPM | Drive Size |
|-----------------|--------------------|-----------------|-------------|--------|------------|
| Seagate | Constellation ES | ST31000424SS* | SAS 6.0 Gb | 7200 | 1TB |
| Seagate | Constellation ES | ST32000444SS* | SAS 6.0 Gb | 7200 | 2TB |
| Seagate | Constellation ES | ST3500414SS* | SAS 6.0 Gb | 7200 | 500GB |
| Seagate | Constellation ES | ST31000524NS | SATA 3.0 Gb | 7200 | 1TB |
| Seagate | Constellation ES | ST32000644NS | SATA 3.0 Gb | 7200 | 2TB |
| Seagate | Constellation ES | ST3500512NS | SATA 3.0 Gb | 7200 | 500GB |
| Seagate | Barracuda* ES.2 | ST31000640SS* | SAS 3.0 Gb | 7200 | 1TB |
| Seagate | Barracuda* ES.2 | ST3500620SS* | SAS 3.0 Gb | 7200 | 500GB |
| Seagate | Barracuda* ES.2 | ST3750630SS* | SAS 3.0 Gb | 7200 | 750GB |
| Seagate | Barracuda* ES.2 | ST31000340NS | SATA 3.0 Gb | 7200 | 1TB |
| Seagate | Barracuda* ES.2 | ST3250310NS | SATA 3.0 Gb | 7200 | 250GB |
| Seagate | Barracuda* ES.2 | ST3500320NS | SATA 3.0 Gb | 7200 | 500GB |
| Seagate | Barracuda* ES.2 | ST3750330NS | SATA 3.0 Gb | 7200 | 750GB |
| Western Digital | RE4 | WD2002FYPS* | SATA 3.0 Gb | 7200 | 2TB |
| Western Digital | RE4 | WD2003FYYS* | SATA 3.0 Gb | 7200 | 2TB |
| Seagate | Constellation | ST9500430SS* | SAS 3.0 Gb | 7200 | 500GB |
| Seagate | Constellation | ST9160511NS | SATA 3.0 Gb | 7200 | 160GB |
| Seagate | Constellation | ST9500530NS | SATA 3.0 Gb | 7200 | 500GB |
| Hitachi | Ultrastar™ 15K600 | HUS156060VLS600 | SAS 6.0 Gb | 15,000 | 600GB |
| Hitachi | Ultrastar™ 15K600 | HUS156045VLS600 | SAS 6.0 Gb | 15,000 | 450GB |
| Hitachi | Ultrastar™ 15K600 | HUS156030VLS600 | SAS 6.0 Gb | 15,000 | 300GB |
| Hitachi | Ultrastar™ 15K600 | HUS156060VLS601 | SAS 6.0 Gb | 15,000 | 600GB |
| Hitachi | Ultrastar™ 15K600 | HUS156045VLS601 | SAS 6.0 Gb | 15,000 | 450GB |
| Hitachi | Ultrastar™ 15K600 | HUS156030VLS601 | SAS 6.0 Gb | 15,000 | 300GB |
| Hitachi | Ultrastar™ C15K147 | HUC151414CSS600 | SAS 6.0 Gb | 15,000 | 147GB |
| Hitachi | Ultrastar™ C15K147 | HUC151473CSS600 | SAS 6.0 Gb | 15,000 | 73GB |
| Hitachi | Ultrastar™ C15K147 | HUC151414CSS601 | SAS 6.0 Gb | 15,000 | 147GB |
| Hitachi | Ultrastar™ C15K147 | HUC151473CSS601 | SAS 6.0 Gb | 15,000 | 73GB |
| Seagate | Cheetah 15K.5 | ST3300655SS* | SAS 3.0 Gb | 15,000 | 300GB |
| Seagate | Cheetah 15K.5 | ST3146855SS* | SAS 3.0 Gb | 15,000 | 146GB |
| Seagate | Cheetah 15K.5 | ST373455SS* | SAS 3.0 Gb | 15,000 | 73GB |
| Seagate | Barracuda 7200.10 | ST3750640AS | SATA 3.0 Gb | 7200 | 750GB |
| Seagate | Barracuda 7200.10 | ST3750840AS | SATA 3.0 Gb | 7200 | 750GB |
| Seagate | Barracuda 7200.10 | ST3500630AS | SATA 3.0 Gb | 7200 | 500GB |
| Seagate | Barracuda 7200.10 | ST3500830AS | SATA 3.0 Gb | 7200 | 500GB |
| Seagate | Barracuda 7200.10 | ST3400620AS | SATA 3.0 Gb | 7200 | 400GB |
| Seagate | Barracuda 7200.10 | ST3400820AS | SATA 3.0 Gb | 7200 | 400GB |
| Seagate | Barracuda 7200.10 | ST3320620AS | SATA 3.0 Gb | 7200 | 320GB |
| Seagate | Barracuda 7200.10 | ST3320820AS | SATA 3.0 Gb | 7200 | 320GB |
| Seagate | Barracuda 7200.10 | ST3300620AS | SATA 3.0 Gb | 7200 | 300GB |
| Seagate | Barracuda 7200.10 | ST3300820AS | SATA 3.0 Gb | 7200 | 300GB |
| Seagate | Barracuda 7200.10 | ST3250620AS | SATA 3.0 Gb | 7200 | 250GB |

| Manufacturer | Model Name | Model Number | Interface | RPM | Drive Size |
|--------------|-------------------|--------------|-------------|------|------------|
| Seagate | Barracuda 7200.10 | ST3250820AS | SATA 3.0 Gb | 7200 | 250GB |
| Seagate | Barracuda 7200.10 | ST3250410AS | SATA 3.0 Gb | 7200 | 250GB |
| Seagate | Barracuda 7200.10 | ST3250310AS | SATA 3.0 Gb | 7200 | 250GB |
| Seagate | Barracuda 7200.10 | ST3200820AS | SATA 3.0 Gb | 7200 | 200GB |
| Seagate | Barracuda 7200.10 | ST3160815AS | SATA 3.0 Gb | 7200 | 160GB |
| Seagate | Barracuda 7200.10 | ST3160310AS | SATA 3.0 Gb | 7200 | 160GB |
| Seagate | Barracuda 7200.10 | ST3160215AS | SATA 3.0 Gb | 7200 | 160GB |
| Seagate | Barracuda 7200.10 | ST3120815AS | SATA 3.0 Gb | 7200 | 120GB |
| Seagate | Barracuda 7200.10 | ST3120215AS | SATA 3.0 Gb | 7200 | 120GB |
| Seagate | Barracuda 7200.10 | ST380815AS | SATA 3.0 Gb | 7200 | 80GB |
| Seagate | Barracuda 7200.10 | ST380215AS | SATA 3.0 Gb | 7200 | 80GB |
| Seagate | Barracuda 7200.10 | ST340815AS | SATA 3.0 Gb | 7200 | 40GB |
| Seagate | Barracuda 7200.10 | ST340215AS | SATA 3.0 Gb | 7200 | 40GB |

Note *: These drive support SSC (Spread Spectrum Clcking). SSC enabled drives would provide superior EMI and may be needed for compliance.

Below drives are supported after this RAID module launch.

| Manufacture | Type | Speed | Model | FW version | Capacity | Size | RPM |
|-------------|------|-------|------------------|------------|----------|------|------|
| Toshiba* | SAS | 6Gb/s | MBF2600RC | 0107 | 600GB | 2.5" | 10K |
| Fujitsu* | SAS | 6Gb/s | MBE2073RC | 0103 | 73GB | 2.5" | 15K |
| Fujitsu* | SAS | 6Gb/s | MBD2300RC | D807 | 300GB | 2.5" | 10K |
| Fujitsu* | SAS | 6Gb/s | MBD2147RC | 0102 | 147GB | 2.5" | 10K |
| Fujitsu* | SAS | 6Gb/s | MBD2147RC | 0101 | 147GB | 3.5" | 10K |
| Fujitsu* | SAS | 6Gb/s | MBE2147RC | 0103 | 147GB | 3.5" | 15K |
| Fujitsu* | SAS | 3Gb/s | MBB2147RC | 0105 | 147GB | 2.5" | 10K |
| Fujitsu* | SAS | 3Gb/s | MAX3147RC | 21B5 | 147GB | 3.5" | 15K |
| Fujitsu* | SAS | 3Gb/s | MAX3147RC | 5202 | 146GB | 3.5" | 15K |
| Fujitsu* | SAS | 3Gb/s | MBA3147RC | D305 | 146GB | 3.5" | 15K |
| Fujitsu* | SAS | 3Gb/s | MBA3147RC | 0103 | 147GB | 3.5" | 15K |
| Fujitsu* | SAS | 3Gb/s | MBA3300RC | 0103 | 300GB | 3.5" | 15K |
| Fujitsu* | SAS | 3Gb/s | MAX3036RC | 0104 | 36GB | 3.5" | 15K |
| Fujitsu* | SAS | 3Gb/s | MAX3073RC | T904 | 73GB | 3.5" | 15K |
| Fujitsu* | SAS | 3Gb/s | MAU3147RC | 0104 | 36GB | 3.5" | 15K |
| Fujitsu* | SATA | 3Gb/s | MHZ2080BJ | 011B | 80GB | 2.5" | 7200 |
| Fujitsu* | SATA | 3Gb/s | MHZ2320B | 0009 | 320GB | 2.5" | 5400 |
| Fujitsu* | SATA | 3Gb/s | MHZ2320B | 001E | 320GB | 2.5" | 5400 |
| Fujitsu* | SATA | 3Gb/s | MJA2320B | 0018 | 320GB | 2.5" | 5400 |
| Fujitsu* | SATA | 3Gb/s | MHZ2160B | 011E | 160GB | 2.5" | 7200 |
| Maxtor* | SAS | 3Gb/s | 8J300S0 | MS05 | 300GB | 3.5" | 10K |
| Maxtor* | SAS | 3Gb/s | 8K147S0 | MS05 | 147GB | 3.5" | 15K |
| Maxtor* | SAS | 3Gb/s | ATLAS10K5_036SAS | BK00 | 36GB | 3.5" | 10K |
| Maxtor* | SAS | 3Gb/s | ATLAS10K5_300SAS | BP05 | 300GB | 3.5" | 10K |
| Maxtor* | SAS | 3Gb/s | ATLAS10K5_073SAS | BP05 | 73GB | 3.5" | 10K |
| Maxtor* | SAS | 3Gb/s | ATLAS10K5_036SAS | BP05 | 36GB | 3.5" | 10K |
| Maxtor* | SAS | 3Gb/s | ATLAS10K5_073SAS | BP00 | 73GB | 3.5" | 10K |
| Maxtor* | SAS | 3Gb/s | ATLAS10K5_073SAS | S412 | 73GB | 3.5" | 10K |
| Maxtor* | SAS | 3Gb/s | ATLAS10K5_147 | BP05 | 147GB | 3.5" | 10K |
| Maxtor* | SAS | 3Gb/s | ATLAS10K5_300SAS | BP00 | 300GB | 3.5" | 10K |
| Maxtor* | SAS | 3Gb/s | ATLAS10K5_300SAS | BP05 | 300GB | 3.5" | 10K |
| Maxtor* | SATA | 3Gb/s | 7L300S0 | 1G10 | 300GB | 3.5" | 7200 |
| Samsung* | SATA | 3Gb/s | HE103UJ | 1111 | 1TB | 3.5" | 7200 |

| Manufacture | Type | Speed | Model | FW version | Capacity | Size | RPM |
|-------------|------|-------|------------------------|------------|----------|------|------|
| Samsung* | SATA | 3Gb/s | HE103UJ | 0-33 | 1TB | 3.5" | 7200 |
| Samsung* | SATA | 3Gb/s | HE103UJ | 0192 | 1TB | 3.5" | 7200 |
| Samsung* | SATA | 3Gb/s | HD160JJ | 0-41 | 160GB | 3.5" | 7200 |
| Samsung* | SATA | 3Gb/s | SP2004C | 0-32 | 200GB | 3.5" | 7200 |
| Samsung* | SATA | 3Gb/s | SP2504C | 0-33 | 250GB | 3.5" | 7200 |
| Hitachi* | SAS | 6Gb/s | HUC106060CSS600 | A840 | 600GB | 2.5" | 10K |
| Hitachi* | SAS | 6Gb/s | HUC106060CSS601 | B852 | 600GB | 2.5" | FDE |
| Hitachi* | SAS | 6Gb/s | HUC106060CSS600 | A150 | 600GB | 2.5" | 10K |
| Hitachi* | SAS | 6Gb/s | HUC103014CSS600 | A120 | 147GB | 2.5" | 10K |
| Hitachi* | SAS | 6Gb/s | HUS156030VLS600 | A538 | 300GB | 3.5" | 15K |
| Hitachi* | SAS | 6Gb/s | HUC151414CSS600 | A330 | 147GB | 2.5" | 15K |
| Hitachi* | SAS | 6Gb/s | HUC151473CSS600 | A330 | 73GB | 2.5" | 15K |
| Hitachi* | SAS | 6Gb/s | HUC103030CSS600 | A120 | 300GB | 2.5" | 10K |
| Hitachi* | SAS | 6Gb/s | HUC151414CSS600 | a370 | 147GB | 2.5" | 15K |
| Hitachi* | SAS | 6Gb/s | HUC103014CSS600 | A120 | 300GB | 2.5" | 10K |
| Hitachi* | SAS | 6Gb/s | HUS156060VLS601 | B530 | 600GB | 3.5" | SED |
| Hitachi* | SAS | 3Gb/s | HDP72502 | A50E | 250GB | 3.5" | 7200 |
| Hitachi* | SAS | 6Gb/s | HUC156060VLS600 | A370 | 600GB | 3.5" | 15K |
| Hitachi* | SAS | 3Gb/s | HUS151414VLS300 | A420 | 136GB | 3.5" | 15K |
| Hitachi* | SAS | 3Gb/s | HUS151436VLS300 | A130 | 36GB | 3.5" | 15K |
| Hitachi* | SAS | 3Gb/s | HUS151473VLS300 | A340 | 73GB | 3.5" | 15K |
| Hitachi* | SAS | 3Gb/s | HUS153073VLS300 | A110 | 73GB | 3.5" | 15K |
| Hitachi* | SAS | 3Gb/s | HUS154530VLS300 | A4B0 | 300GB | 3.5" | 15K |
| Hitachi* | SAS | 3Gb/s | HUS154545VLS300 | A4B0 | 450GB | 3.5" | 15K |
| Hitachi* | SATA | 3Gb/s | HDS72202ALA330 | A20N | 2TB | 3.5" | 7200 |
| Hitachi* | SATA | 3Gb/s | HUA7220202ALA330 | 28A | 2TB | 3.5" | 7200 |
| Hitachi* | SATA | 3Gb/s | HUA722010CLA330 | 25C | 1TB | 3.5" | 7200 |
| Hitachi* | SATA | 3Gb/s | HDT72010SLA360 | 3A33 | 1TB | 3.5" | 7200 |
| Hitachi* | SATA | 3Gb/s | HDS72161 | AB1A | 164GB | 3.5" | 5400 |
| Hitachi* | SATA | 3Gb/s | HDS72161 | P22O | 160GB | 3.5" | 5400 |
| Hitachi* | SATA | 3Gb/s | HDS722512VLSA80 | A63A | 120GB | 3.5" | 7200 |
| Hitachi* | SATA | 3Gb/s | HDS725050KLA360 | KRVN | 500GB | 3.5" | 7200 |
| Hitachi* | SATA | 3Gb/s | HDS725050KLA360 | AB0A | 470GB | 3.5" | 7200 |
| Hitachi* | SATA | 3Gb/s | HDS725050KLA360 | 39M0 | 250GB | 3.5" | 7200 |
| Hitachi* | SATA | 3Gb/s | HDS728080PLA380 | A6BA | 80GB | 3.5" | 7200 |
| Hitachi* | SATA | 6Gb/s | HDS723030ALA640 | A380 | 3TB | 3.5" | 7200 |
| Hitachi* | SATA | 3Gb/s | HUA72201 | A25C | 1TB | 3.5" | 7200 |
| Hitachi* | SATA | 3Gb/s | HUA72201 | A39C | 1TB | 3.5" | 7200 |
| IBM* | SAS | 6Gb/s | IBM-ESXS ST973452SS | B623 | 73GB | 2.5" | 15K |
| IBM* | SAS | 6Gb/s | ESXSST973451SS | B612 | 73GB | 2.5" | 15K |
| IBM* | SAS | 6Gb/s | ESXSST9146852SS | B623 | 140GB | 2.5" | 15K |
| IBM* | SAS | 6Gb/s | ESXSST9146802SS | B52G | 146GB | 2.5" | 10K |
| IBM* | SAS | 3Gb/s | ESXSBBAA036C3ESTT0Z | NBH0 | 36GB | 3.5" | 10K |
| IBM* | SAS | 3Gb/s | ESXSBBAA073C3ESTT0Z | NBH0 | 73GB | 3.5" | 10K |
| IBM* | SAS | 3Gb/s | ESXSIGNA073C3ESTT0Z | NBH0 | 73GB | 3.5" | 10K |
| IBM* | SAS | 3Gb/s | ESXSIGNA300C3ESTT0Z | NBH0 | 300GB | 3.5" | |
| IBM* | SAS | 3Gb/s | ESXSMA3036RC | T904 | 36GB | 3.5" | 15K |
| IBM* | SAS | 3Gb/s | ESXSMA3147RC | T904 | 147GB | 3.5" | 15K |
| IBM* | SAS | 3Gb/s | ESXSMBB2073RC | SB01 | 72GB | 2.5" | 10K |
| IBM* | SAS | 3Gb/s | ESXSMBB2147RC | SB04 | 146GB | 2.5" | 10K |
| IBM* | SAS | 3Gb/s | ESXSST336754SS | BA17 | 36GB | 3.5" | 15K |
| IBM* | SAS | 3Gb/s | ESXS GNA300C3ESTT0Z | BH0D | 300GB | 3.5" | |
| IBM* | SAS | 3Gb/s | ESXSST973451SS | B612 | 73GB | 2.5" | 15K |
| IBM* | SAS | 3Gb/s | ESXSIPA073C3 | NA49 | 73GB | 3.5" | |
| IBM* | SAS | 3Gb/s | ESXSIPA146C3 | NA54 | 146GB | 3.5" | |
| IBM* | SAS | 3Gb/s | ESXSIPA146C3 | NA49 | 146GB | 3.5" | |

| Manufacture | Type | Speed | Model | FW version | Capacity | Size | RPM |
|-------------|------|-------|-------------------------|------------|----------|------|------|
| IBM* | SAS | 3Gb/s | BBA036C3ESTT0Z | BH0D | 36GB | 3.5" | |
| IBM* | SAS | 3Gb/s | GNA073C3ESTT0Z | BH0D | 73GB | 3.5" | |
| IBM* | SAS | 3Gb/s | IBM-ESXS ST3300555SS | BA33 | 300GB | 3.5" | 15K |
| IBM* | SAS | 3Gb/s | IBM-ESXS ST336754SS | BA17 | 36GB | 3.5" | 15K |
| IBM* | SAS | 3Gb/s | VPA073C3-ETS10 | A49B | 73GB | 3.5" | |
| IBM* | SAS | 3Gb/s | VPA073C3-ETS10 | A49A | 73GB | 3.5" | |
| IBM* | SAS | 3Gb/s | VPA073C3-ETS10 | A540 | 73GB | 3.5" | |
| IBM* | SAS | 3Gb/s | GNA073C3ESTT0Z | NBH0 | 73GB | 3.5" | |
| IBM* | SAS | 3Gb/s | VPA146C3-ETS10 | NA49 | 146GB | 3.5" | |
| Seagate* | SAS | 6Gb/s | ST9450404SS | 0004 | 450GB | 2.5" | 10K |
| Seagate* | SAS | 6Gb/s | ST973352SS | 0002 | 73GB | 2.5" | SED |
| Seagate* | SAS | 6Gb/s | ST32000444SS | 0004 | 2TB | 3.5" | 7200 |
| Seagate* | SAS | 6Gb/s | ST31000424SS | 0004 | 1TB | 3.5" | 7200 |
| Seagate* | SAS | 6Gb/s | ST33000650SS | F901 | 3TB | 3.5" | 7200 |
| Seagate* | SAS | 6GB/s | ST9500431SS | DSF0 | 500GB | 2.5" | 7200 |
| Seagate* | SAS | 6GB/s | ST973452SS | B623 | 73GB | 2.5" | 15K |
| Seagate* | SAS | 6GB/s | ST973402SS | MS00 | 73GB | 2.5" | 15K |
| Seagate* | SAS | 6GB/s | ST9146803SS | 0002 | 147GB | 2.5" | 15K |
| Seagate* | SAS | 6GB/s | ST9146803SS | 0004 | 147GB | 2.5" | 15K |
| Seagate* | SAS | 6GB/s | ST9146852SS | B623 | 146GB | 2.5" | 15K |
| Seagate* | SAS | 6GB/s | ST9300503SS | FSF4 | 300GB | 2.5" | 10K |
| Seagate* | SAS | 6GB/s | ST3300657SS | 0005 | 300GB | 3.5" | 15K |
| Seagate* | SAS | 6GB/s | ST3450802SS | 0004 | 450GB | 3.5" | 10K |
| Seagate* | SAS | 6Gb/s | ST3450857SS | 0005 | 450GB | 3.5" | 15K |
| Seagate* | SAS | 6Gb/s | ST9300503SS | FT00 | 300GB | 2.5" | SED |
| Seagate* | SAS | 6Gb/s | ST9146703SS | FT00 | 146GB | 2.5" | SED |
| Seagate* | SAS | 3Gb/s | ST973402SS | MS003 | 73GB | 2.5" | 10K |
| Seagate* | SAS | 6Gb/s | ST9146803SS | 0004 | 146GB | 2.5" | 10K |
| Seagate* | SAS | 6Gb/s | ST9146852SS | B623 | 146GB | 2.5" | 15K |
| Seagate* | SAS | 6Gb/s | ST973452SS | B623 | 73GB | 2.5" | 15K |
| Seagate* | SAS | 6Gb/s | ST9146802SS | MSB0 | 146GB | 3.5" | 10K |
| Seagate* | SAS | 6Gb/s | ST3450802SS | 0004 | 450GB | 3.5" | 10K |
| Seagate* | SAS | 6Gb/s | ST9300603SS | 0002 | 300GB | 2.5" | 10K |
| Seagate* | SAS | 6GB/s | ST3600002SS | 0002 | 600GB | 3.5" | 10K |
| Seagate* | SAS | 6Gb/s | ST9500430SS | 0001 | 500GB | 2.5" | 7200 |
| Seagate* | SAS | 6Gb/s | ST3500414SS | 0004 | 500GB | 3.5" | 7200 |
| Seagate* | SAS | 3Gb/s | ST3300555SS | BA33 | 300GB | 3.5" | 15K |
| Seagate* | SAS | 3Gb/s | ST3300655SS | 13LM042JJ | 300GB | 3.5" | 15K |
| Seagate* | SAS | 3Gb/s | ST314854SS | 0004 | 146GB | 3.5" | 15K |
| Seagate* | SAS | 3Gb/s | ST3300655SS | 13LM042JJ | 300GB | 3.5" | 15K |
| Seagate* | SAS | 3Gb/s | ST336754SS | S412 | 33GB | 3.5" | 15K |
| Seagate* | SAS | 3Gb/s | ST336754SS | 0002 | 36GB | 3.5" | 15K |
| Seagate* | SAS | 3Gb/s | ST336754SS | S410 | 36GB | 3.5" | 15K |
| Seagate* | SAS | 3Gb/s | ST336754SS | 23KQ | 36GB | 3.5" | 15K |
| Seagate* | SAS | 3Gb/s | ST336754SS | 0002 | 36GB | 3.5" | 15K |
| Seagate* | SAS | 3Gb/s | ST336754SS | BA17 | 36GB | 3.5" | 15K |
| Seagate* | SAS | 3Gb/s | ST336754SS | MS02 | 36GB | 3.5" | 15K |
| Seagate* | SAS | 3Gb/s | ST336754SS | S400 | 36GB | 3.5" | 15K |
| Seagate* | SAS | 3Gb/s | ST373454SS | 0003 | 73GB | 3.5" | 15K |
| Seagate* | SAS | 3Gb/s | ST373454SS | S412 | 73GB | 3.5" | 15K |
| Seagate* | SAS | 3Gb/s | ST373454SS | 33KP | 73GB | 3.5" | 15K |
| Seagate* | SAS | 3Gb/s | ST373454SS | MSB03 | 73GB | 3.5" | 15K |
| Seagate* | SAS | 3Gb/s | ST373454SS | 0002 | 70GB | 3.5" | 15K |
| Seagate* | SAS | 3Gb/s | ST373455SS | BA23 | 74GB | 3.5" | 15K |
| Seagate* | SAS | 3Gb/s | ST973402SS | MSB0 | 73GB | 2.5" | 10K |
| Seagate* | SATA | 6Gb/s | ST33000650NS | ZZZZ | 3TB | 3.5" | 7200 |

| Manufacture | Type | Speed | Model | FW version | Capacity | Size | RPM |
|------------------|------|-------|--------------------|------------|----------|------|-------------|
| Seagate* | SATA | 3Gb/s | ST3500641NS | K2A0 | 500GB | 3.5" | 7200 |
| Seagate* | SATA | 3Gb/s | ST3160023AS | 0003 | 160GB | 3.5" | 7200 |
| Seagate* | SATA | 3Gb/s | ST3160827AS | 3.42 | 160GB | 3.5" | 7200 |
| Seagate* | SATA | 3Gb/s | ST3250824AS | H | 250GB | 3.5" | 7200 |
| Seagate* | SATA | 3Gb/s | ST3250824AS | 4ND3 | 150GB | 3.5" | 7200 |
| Seagate* | SATA | 3Gb/s | ST330831AS | 3.01 | 280GB | 3.5" | 7200 |
| Seagate* | SATA | 3Gb/s | ST3500630NS | AEG | 500GB | 3.5" | 7200 |
| Seagate* | SATA | 3Gb/s | ST3200540AS | CC83 | 2TB | 3.5" | 4K Media |
| Seagate* | SATA | 3Gb/s | ST3500641NS | S0 | 500GB | 3.5" | 7200 |
| Seagate* | SATA | 3Gb/s | ST3500641NS | P | 500GB | 3.5" | 7200 |
| Seagate* | SATA | 3Gb/s | ST3750640NS | E | 750GB | 3.5" | 7200 |
| Seagate* | SATA | 3Gb/s | ST3750840NS | E | 750GB | 3.5" | 7200 |
| Seagate* | SATA | 3Gb/s | ST380013AS | 3.18 | 80GB | 3.5" | 7200 |
| Seagate* | SATA | 3Gb/s | ST380815AS | D | 80GB | 3.5" | 7200 |
| Seagate* | SATA | 3Gb/s | ST9500530NS | SN02 | 500GB | 2.5" | 7200 |
| Seagate* | SATA | 3Gb/s | ST31000340NS | SN06 | 1TB | 3.5" | 7200 |
| Seagate* | SATA | 3Gb/s | ST32000644NS | SN11 | 2TB | 3.5" | 7200 |
| Seagate* | SAS | 3Gb/s | ST973402SS | MS00 | 73GB | 2.5" | 10K |
| Seagate* | SATA | 3Gb/s | ST380013AS | 3.18 | 80GB | 3.5" | |
| Seagate* | SAS | 3Gb/s | ST373455SS | S513 | 73GB | 3.5" | 15K |
| Seagate* | SAS | 3Gb/s | ST336754SS | S400 | 36GB | 3.5" | |
| Seagate* | SAS | 3Gb/s | ST936751SS | 0001 | 36GB | 2.5" | 15K |
| Seagate* | SAS | 3Gb/s | ST9146802SS | 0002 | 147GB | 2.5" | 10K |
| Seagate* | SAS | 3Gb/s | ST3146854SS | S412 | 146GB | 3.5" | 15K |
| Seagate* | SAS | 3Gb/s | ST3146854SS | S410 | 146GB | 3.5" | 15K |
| Seagate* | SAS | 3Gb/s | ST3146854SS | 0003 | 136GB | 3.5" | 15K |
| Seagate* | SAS | 3Gb/s | ST3146854SS | 0002 | 146GB | 3.5" | 15K |
| Western Digital* | SAS | 6Gb/s | WD1460BKFG-02P2V0 | RG00 | 146GB | 2.5" | 10K |
| Western Digital* | SAS | 6Gb/s | WD3000BKFG-02P2V0 | RG00 | 300GB | 2.5" | 10K |
| Western Digital* | SAS | 6Gb/s | WD6000BKHG-02A29V0 | VG01 | 600GB | 2.5" | 10K |
| Western Digital* | SATA | 6Gb/s | WD6000BLHX-01V7BV0 | 5G04 | 600GB | 2.5" | 10K |
| Western Digital* | SATA | 6Gb/s | WD5003ABYX-01WERA0 | 1S01 | 500GB | 3.5" | 7200 |
| Western Digital* | SATA | 6Gb/s | WD1003FBYX-01Y7B0 | 1V01 | 1TB | 3.5" | 7200 |
| Western Digital* | SATA | 3Gb/s | WD2002FYPS-02W3B0 | 1G01 | 2TB | 3.5" | 5400 |
| Western Digital* | SATA | 3Gb/s | WD2003FYYS-0 | 1D01 | 2TB | 3.5" | 7200 |
| Western Digital* | SATA | 3Gb/s | WD2002FYPS0 | 5G04 | 2TB | 3.5" | 5400 |
| Western Digital* | SATA | 3Gb/s | WD10EADS11M | 0A80 | 1TB | 3.5" | 4K Media |
| Western Digital* | SATA | 3Gb/s | WD2002FYPS | 5G04 | 2TB | 3.5" | 7200 |
| Western Digital* | SATA | 3Gb/s | WD1000FYPS-0 | 1B01 | 1TB | 3.5" | 7200 |
| Western Digital* | SATA | 3Gb/s | WD1600AAJS | 6H05 | 160GB | 3.5" | 7200 |
| Western Digital* | SATA | 3Gb/s | WD1600YS | 23S6C04 | 160GB | 3.5" | 7200 |
| Western Digital* | SATA | 3Gb/s | WD1600YS | 1C03 | 160GB | 3.5" | 7200 |
| Western Digital* | SATA | 3Gb/s | WD1600YS-01S | 6C06 | 160GB | 3.5" | 7200 |
| Western Digital* | SATA | 3Gb/s | WD1600YS-23S6C04 | WCAP | 160GB | 3.5" | 7200 |
| Western Digital* | SATA | 3Gb/s | WD2500YS | 6C07 | 250GB | 3.5" | 7200 |
| Western Digital* | SATA | 3Gb/s | WD2500YS-18S | 6C07 | 250GB | 3.5" | 7200 |
| Western Digital* | SATA | 3Gb/s | WD2502ABYS-2 | 3B04 | 250GB | 3.5" | 7200 |
| Western Digital* | SATA | 3Gb/s | WD4000YR | 6A01 | 400GB | 3.5" | 7200 |
| Western Digital* | SATA | 3Gb/s | WD4000YR-01P | 6A01 | 400GB | 3.5" | 7200 |
| Western Digital* | SATA | 3Gb/s | WD5000ABPS-0 | 1B01 | 500GB | 3.5" | 7200 |
| Western Digital* | SATA | 3Gb/s | WD5000ABPS-01ZZB0 | 2.01 | 500GB | 3.5" | 7200 |
| Western Digital* | SATA | 3Gb/s | WD5000KS | 2E06 | 500GB | 3.5" | 7200 |
| Western Digital* | SATA | 3Gb/s | WD5000YS | 01M2E07 | 500GB | 3.5" | 7200 |
| Western Digital* | SATA | 3Gb/s | WD5000YS | 00.E | 500GB | 3.5" | 7200 |

| Manufacture | Type | Speed | Model | FW version | Capacity | Size | RPM |
|------------------|------|---------|-----------------------|------------|----------|------|------|
| Western Digital* | SATA | 3Gb/s | WD7500AAKS | 04G30 | 750GB | 3.5" | 7200 |
| Western Digital* | SATA | 3Gb/s | WD7500AAKS-0 | 30 | 750GB | 3.5" | 7200 |
| Western Digital* | SATA | 3Gb/s | WD800JD | 01E01 | 80GB | 3.5" | 7200 |
| Western Digital* | SATA | 3Gb/s | WD5000ABPS | 2.01 | 500GB | 3.5" | 7200 |
| ADATA* | SATA | 3Gb/s | AS599S-100GM-C | 80GB | rev 5.0 | 2.5" | |
| ADATA* | SATA | 3Gb/s | AS599S-128GM-C | 3.1.0 | 128GB | 2.5" | |
| ADATA* | SATA | 3Gb/s | AS599S-256GM-C | 3.1.0 | 256GB | 2.5" | |
| Intel* | SATA | 6Gb/s | SSDSC2MH120A2C | PPXM | 120G | 2.5" | |
| Intel* | SATA | 3Gb/s | SSDSA2BW160G3 | 0266 | 160GB | 2.5" | |
| Intel* | SATA | 3Gb/s | X25-E,SSDSA2SH032G1 | 8650 | 32GB | 2.5" | |
| Intel* | SATA | 3Gb/s | X25-E,SSDSA2SH064G1 | 8650 | 64GB | 2.5" | |
| Intel* | SATA | 3Gb/s | X25-E,SSDSA2SH064G1GN | 8820 | 64GB | 2.5" | |
| Intel* | SATA | 3Gb/s | X25-M,SSDSA2MH080G1 | 8626 | 80GB | 2.5" | |
| Intel* | SATA | 3Gb/s | X25-M,SSDSA2MH160G1 | 8626 | 160GB | 2.5" | |
| Intel* | SATA | 3Gb/s | X25-M,SSDSA2MH160G1 | 8820 | 160GB | 2.5" | |
| Intel* | SATA | 3Gb/s | X25-M,SSDSA2M080G2GC | 02HD | 80GB | 2.5" | |
| Intel* | SATA | 3Gb/s | X25-M,SSDSA2MH160G2GC | 02HD | 160GB | 2.5" | |
| Micron* | SATA | 6Gb/s | MTFDDAC050SAL-1N1AA | 0001 | 50GB | 2.5" | |
| Micron* | SATA | 6Gb/s | P300-MTFDDAC100SAL | 0001 | 100GB | 2.5" | |
| Micron* | SATA | 6Gb/s | MTFDDAC200SAL-1N1AA | 0001 | 200GB | 2.5" | |
| Micron* | SATA | 6Gb/s | MTFDDAK064MAG-1G1 | 0002 | 64GB | 2.5" | |
| Micron* | SATA | 6Gb/s | MTFDDAK128MAG-1G1 | 0002 | 128GB | 2.5" | |
| Micron* | SATA | 6Gb/s | MTFDDAK256MAG-1G1 | 0002 | 256GB | 2.5" | |
| OCZ Technology* | SATA | 3Gb/s | ITDCSTE025M2002 | 1.5E | 240GB | 2.5" | |
| Patriot Memory* | SATA | 3Gb/s | PatriotTorqx12 | 1881 | 120GB | 2.5" | |
| PLIANT* | SAS | 3Gb/s | LS300S | T101 | 300GB | 3.5" | |
| ANOBIT* | SATA | 3Gb/s | Genesis-1 | 0002 | 200GB | 3.5" | |
| Samsung* | SATA | 3Gb/s | MCBQE25G | | 25GB | 2.5" | |
| Samsung* | SATA | 3Gb/s | 2.5"50GBSSDSATA | 803Q | 50GB | 2.5" | |
| Samsung* | SATA | 3Gb/s | 2.5"100GBSSDSATA | 803Q | 100GB | 2.5" | |
| UNIGEN* | SATA | 3Gb/s | UGB88PGB100HB1-ES | RC Rev1 | 100GB | 2.5" | |
| UNIGEN* | SATA | 3Gb/s | UGB88APT128HS3 | 1916 | 128GB | 2.5" | |
| SUPER TALENT* | SATA | 3Gb/s | FTM12CT25H | STTMP2 | 120GB | 2.5" | |
| STEC* | SATA | 1.5Gb/s | MACH8 IO | 2084 | 22GB | 2.5" | |
| STEC* | SATA | 1.5Gb/s | M8ISB2-25UC | 2119 | 25GB | 2.5" | |
| STEC* | SATA | 1.5Gb/s | M8ISB2-50UC | 2119 | 50GB | 2.5" | |