


Data# 9  
dBu/m OL82

File#: SI-2P.EMI

Date: 08-30-2002 Time: 17:14:54  
SPORTON INTERNATIONAL INC.



Trace :

Limit : CISPR CLASS-B 10m  
Probe : FEB-08-2002-2445 VERTICAL  
Margin: 0dB  
EUT : SI-2P V0.3  
Power : 110VAC  
Memo : FULL SYSTEM  
: PING LAN  
: NEW CASE DOUBLE CHECK DATA


Page: 1

	Freq	Level	Over	Over	Limit	Read	Probe	Cable	Preamp	Remark
	MHz	dB	Limit	Margin	Line	Level	Factor	Loss	Factor	
			dB	dB	dB	dB	dB	dB	dB	
1	42.0	25.29	-4.71	-4.71	30.00	35.67	13.18	0.72	24.28	
2	45.1	25.46	-4.54	-4.54	30.00	38.08	10.80	0.82	24.25	
3	66.6	24.65	-5.35	-5.35	30.00	41.75	5.88	1.04	24.03	
4	74.7	21.56	-8.44	-8.44	30.00	37.84	6.68	1.00	23.95	
5	109.7	23.28	-6.72	-6.72	30.00	34.00	11.74	1.42	23.88	
6	133.3	21.31	-8.69	-8.69	30.00	32.01	11.59	1.55	23.83	
7	144.0	23.20	-6.80	-6.80	30.00	34.26	11.10	1.66	23.81	
8	150.0	21.63	-8.37	-8.37	30.00	32.92	10.85	1.66	23.80	
9	168.2	25.26	-4.74	-4.74	30.00	37.50	9.61	1.91	23.76	
10	196.5	20.77	-9.23	-9.23	30.00	33.00	9.52	1.95	23.71	

Data# : 3  
dBuV/m 0182

File# : SI-2P.ENI

Date: 08-30-2002 Time: 16:56:43  
SPORTON INTERNATIONAL INC.



Trace :

Limit : CISPR CLASS-B 10m  
Probe : FEB-08-2002-2445 VERTICAL  
Margin: 0dB  
EUT : SI-2P V0.3  
Power : 110VAC  
Memo : FULL SYSTEM  
: PING LAN  
: NEW CASE DOUBLE CHECK DATA


Page: 1

	Freq	Level	Over Limit	Over Margin	Limit Line	Read Level	Probe Factor	Cable Loss	Preamp Factor	Remark
	MHz	dB	dB	dB	dB	dB	dB	dB	dB	
1	312.8	34.40	-2.60	-2.60	37.00	41.00	14.25	2.75	23.60	
2	315.3	31.85	-5.15	-5.15	37.00	38.40	14.28	2.76	23.60	QP
3	528.0	32.30	-4.70	-4.70	37.00	33.34	18.26	4.27	23.57	
4	624.2	32.35	-4.65	-4.65	37.00	31.70	19.42	4.74	23.50	QP
5	663.2	32.83	-4.17	-4.17	37.00	32.17	19.12	5.05	23.50	
6	720.0	32.71	-4.29	-4.29	37.00	32.00	18.91	5.30	23.50	
7	866.4	29.27	-7.73	-7.73	37.00	26.50	20.05	6.23	23.50	
8	931.2	32.64	-4.36	-4.36	37.00	28.51	21.09	6.55	23.50	
9	993.9	29.00	-8.00	-8.00	37.00	23.40	22.29	6.81	23.50	QP
10	995.2	34.06	-2.94	-2.94	37.00	28.42	22.33	6.81	23.50	

Data#: 7  
dBuV/m 0182

File#: SI-ZP.EMI

Date: 08-30-2002 Time: 17:00:29  
SPORTON INTERNATIONAL INC.



Trace :

Limit : CISPR CLASS-B 10m  
Probe : FEB-08-2002-2445 HORIZONTAL  
Margin: 0dB  
EUT : SI-2P V0.3  
Power : 110VAC  
Memo : FULL SYSTEM  
      : PING LAN  
      : NEW CASE DOUBLE CHECK DATA


Page: 1

	Freq	Level	Over	Over	Limit	Read	Probe	Cable	Preamp	Remark
	MHz	dB	Limit	Margin	Line	Level	Factor	Loss	Factor	
			dB	dB	dB	dB	dB	dB	dB	
1	50.0	19.50	-10.50	-10.50	30.00	35.00	7.87	0.83	24.20	
2	66.7	20.98	-9.02	-9.02	30.00	38.08	5.88	1.04	24.03	
3	109.5	25.28	-4.72	-4.72	30.00	36.00	11.74	1.42	23.88	
4	133.3	21.72	-8.28	-8.28	30.00	32.42	11.59	1.55	23.83	
5	144.0	20.54	-9.46	-9.46	30.00	31.59	11.10	1.66	23.81	
6	150.0	20.71	-9.29	-9.29	30.00	32.01	10.85	1.66	23.80	
7	168.0	20.49	-9.51	-9.51	30.00	32.67	9.68	1.90	23.76	
8	195.7	23.74	-6.26	-6.26	30.00	36.00	9.51	1.94	23.71	

Data#: 5  
dBu/m 0L82

File#: SI-2P.EMI

Date: 08-30-2002 Time: 17:06:36  
SPORTON INTERNATIONAL INC.



Trace :

Limit : CISPR CLASS-B 10m  
Probe : FEB-08-2002-2445 HORIZONTAL  
Margin: 0dB  
EUT : SI-2P V0.3  
Power : 110VAC  
Memo : FULL SYSTEM  
: PING LAN  
: NEW CASE DOUBLE CHECK DATA

Page: 1

	Freq	Level	Over Limit	Over Margin	Limit Line	Read Level	Probe Factor	Cable Loss	Preamp Factor	Remark
	MHz	dB	dB	dB	dB	dB	dB	dB	dB	
1	308.0	28.96	-8.04	-8.04	37.00	35.67	14.18	2.72	23.60	
2	531.2	28.41	-8.59	-8.59	37.00	29.33	18.33	4.31	23.57	
3	624.0	29.82	-7.18	-7.18	37.00	29.17	19.42	4.74	23.50	
4	866.4	29.77	-7.23	-7.23	37.00	27.00	20.05	6.23	23.50	
5	930.4	30.78	-6.22	-6.22	37.00	26.67	21.07	6.54	23.50	
6	994.4	33.46	-3.54	-3.54	37.00	27.84	22.31	6.81	23.50	