

Welcome to AllDay



This little calendar application is the ultimate companion for every desktop. It quickly shows all kinds of calendrical information in a year overview. AllDay is free software and you are welcome to redistribute it under certain conditions. See the [GNU General Public License](#) for details.

To bring up this documentation, select item "Contents" from menu "Help". Please use the navigation on the left.

All documentation about how to use AllDay can be found in chapter ["Using AllDay"](#)

This documentation was entirely produced with applications SimplyHTML, the JavaHelp Plug-In for SimplyHTML and DocAnywhere, all available at <http://www.lightdev.com>.

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program"

means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in

whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under

the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent

infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the

original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED

OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your

school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
'Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

About AllDay

AllDay is an application to produce all kinds of calendrical information in the context of a year overview. It is meant as a complement to scheduling and planning software. It is to cope with the basics of calendar computing rather than scheduling or planning tasks.

History of AllDay

AllDay has been developed originally for the Apple Macintosh back in 1991, later it was ported to Windows and finally this Java version was built. The Mac and Windows versions reached a broad public and especially the Windows version already had a lot of different features.

This Java version of AllDay is hoped to increase distribution to the Mac, Unix and Linux worlds.

Getting started

This section gives information about

- [Requirements](#)
- [Installation](#)
- [Starting AllDay](#)

This documentation is used as online help and as a user manual which can be printed too. When used as a (printed) manual, information from this section can be taken as a starter for setting up AllDay.

Certainly this part is useless when using it as online help out of the application because the application has already been installed successfully in this case.

Requirements

Java

To run AllDay, a Java 2 Standard Edition (J2SE) Runtime Environment (JRE) of version 1.4 or higher is necessary. To work with the source code, a Software Development Kit (SDK) for J2SE version 1.4 or higher is required.

J2SE JRE and SDK are available at no charge at

<http://java.sun.com/getjava/download.html>

International Components for Unicode for Java (ICU4J)

Upcoming versions of AllDay use calendar components from an open source library named "International Components for Unicode for Java" (ICU4J). ICU4J is maintained by International Business Machines, Inc. at

<http://www-124.ibm.com/icu4j/>

and will be included in the distribution package of AllDay as appropriate.

Installation

Once downloaded the AllDay distribution package zip file

- 1.create an arbitrary folder such as C:\Programs\AllDay
- 2.extract all contents of the downloaded zip file into that folder

You are ready to go on with [starting](#) AllDay after this.

Starting AllDay

To run the executable JAR file use the following command on the command line prompt of your system

(replace \ by / and omit .exe on Unix or Linux systems)

```
[JRE]\bin\java.exe -jar [AppDir]\AllDay.jar
```

[AppDir] in above command means the directory, you have installed AllDay on your computer. [JRE] means the directory, the Java 2 Standard Edition (J2SE) Runtime Environment (JRE) is stored on your computer.

Note: All paths should not contain blanks. A path such as C:\Program Files\AllDay as the [AppDir] will only work if it is put in quotes, such as in "C:\Program Files\AllDay\AllDay.jar"

Windows Example

If your JRE is in directory

```
c:\programs\java\j2re1.4.0_01
```

and AllDay is in directory

```
c:\programs\AllDay\
```

the command to start AllDay would be

```
c:\programs\java\j2re1.4.0_01\bin\java.exe -jar
c:\programs\AllDay\AllDay.jar
```

Linux Example

On Linux your JRE might be on

```
/usr/lib/java2/j2re1.4.0_01
```

and AllDay might be in

```
/opt/allday
```

then the command to run AllDay would be

```
/usr/lib/java2/j2re1.4.0_01/bin/java -jar /opt/allday/AllDay.jar
```

Desktop integration and shortcuts for starting applications

Above examples list the 'complete' way to start a Java application. When properly installed, the Java platform usually is well integrated into the desktop, i.e. an executable JAR file such as AllDay.jar usually can be launched by simply (double-) clicking its icon.

In lack of such integration certainly operating systems allow to shorten application launch processes by storing the original command as listed above in some kind of shortcut. With a shortcut an application usually is represented by an icon and a click on such icon starts the application.

Please consult the documentation of your operating system to find out how to create shortcuts for launching applications.

Using AllDay

This section explains usage of application [AllDay](#) . Once properly [installed](#), the application can be used to

- 1.[show a year overview](#)
- 2.[change the year](#)
- 3.[change the year overview appearance](#)

In addition it has information about the [user interface](#) of AllDay.

Showing a year overview

A [year overview](#) is the central function of application AllDay. It is shown automatically when the application is [started](#). Always the current year is shown upon start. With the keys of the task bar and items in menu Navigate the year display can be [changed](#).

Changing the year

Initially AllDay shows an [overview of the current year](#). To switch to a different year, two methods are possible

- going to the previous or next year relative to the year that is currently shown
- selecting a given year through the [year selection dialog](#)

To switch to the previous or next year

- 1.click on the 'previous year' or 'next year' button in the toolbar or select 'Previous year' or 'Next year' from menu 'Navigate'

To select a given year

- 1.select 'Set year...' from menu 'Navigate'
- 2.enter the year to display and
- 3.press button 'OK'

Changing the year overview appearance

After installation AllDay shows a year overview common to many countries in the western hemisphere. Still there are differences in the way such a calendar is displayed some of which can be adjusted to local conditions.

First day of week

In some countries or regions a week starts with Sunday. Other countries or regions choose Monday, Friday or Saturday. The year overview of AllDay can be switched to show any day of week as the first one. To change the day of week weeks start with

- 1.select `Preferences...` from menu `Edit`
- 2.in the [user preferences dialog](#) set the desired day of week in field `First day of week` and
- 3.press button `OK`

Header color

Each month box in the year overview shows a row having abbreviations of the week day each column holds. To adjust the color of this week day header

- 1.select `Preferences...` from menu `Edit`
- 2.in the [user preferences dialog](#) click the button next to the colored box `Header color`
- 3.choose a color in the color picker dialog and
- 4.press button `OK`

Special day / Sunday / Sabbath

Each country or region has a special day during the week some minted by religious backgrounds some by political regulations. Some countries for example have Sunday as a special day, some have Saturday or Friday.

Day of week for special day

To set the day of week that is to be shown as such a special day

- 1.select `Preferences...` from menu `Edit`
- 2.in the [user preferences dialog](#) set the desired day of week in field `Day of week in box Sunday / Sabbath` and
- 3.press button `OK`

Color for special day

The day of week selected as the special day as shown above is shown in red on white by default. To set a differnt color for the special day

- 1.select `Preferences...` from menu `Edit`
- 2.in the [user preferences dialog](#) click the button next to the colored field `Color in box Sunday / Sabbath`
- 3.choose a color in the color picker dialog and

4.press button OK

User Interface

This section describes elements of the user interface of application AllDay. As opposed to section "Using AllDay" this section focuses on user interface elements (e.g. the preferences dialog) rather than functional topics (e.g. how to change the year).

In particular it has information about the following items

1. [User preferences dialog](#)
2. [Year selection dialog](#)
3. [Year overview](#)

User preferences dialog

The user can [store certain preferred settings](#) through the user preferences dialog.



the user preferences dialog

Sunday / Sabbath

In box `Sunday / Sabbath` a special day such as Sunday, Saturday or Friday that is to be highlighted in the year overview can be selected.

Day of week

In list box `Day of week` the day of week for the special day can be selected

Color

In the box `Color` the color for the special day is selected. To set a color, press the button next to the color field and choose a color in the color picker dialog.

First day of week

In list `First day of week` the day that a week starts with can be set. This weekday will be shown in the leftmost column of each month box.

Header color

In box `Header color` the color is shown that the week day header of each month box is rendered in. Press the button next to the header color box to select a color from the color picker dialog.

Year selection dialog

The year selection dialog allows to set the year overview to a given year.



the year selection dialog

An arbitrary year can be typed into field `Switch to year`. By pressing `OK` the year is shown in the [year overview](#).

Year overview

Januar				Februar				März				April																			
Mo	Di	Mi	Do	Fr	Sa	So	Mo	Di	Mi	Do	Fr	Sa	So	Mo	Di	Mi	Do	Fr	Sa	So	Mo	Di	Mi	Do	Fr	Sa	So				
1		1	2	3	4	5	5					1	2	9	1	2		14				1	2	3	4	5	6				
2	6	7	8	9	10	11	12	6	3	4	5	6	7	8	9	10	3	4	5	6	7	8	9	15	7	8	9	10	11	12	13
3	13	14	15	16	17	18	19	7	10	11	12	13	14	15	16	11	10	11	12	13	14	15	16	16	14	15	16	17	18	19	20
4	20	21	22	23	24	25	26	8	17	18	19	20	21	22	23	12	17	18	19	20	21	22	23	17	21	22	23	24	25	26	27
5	27	28	29	30	31			9	24	25	26	27	28			13	24	25	26	27	28	29	30	18	28	29	30				
																14	31														
Mai				Juni				Juli				August																			
Mo	Di	Mi	Do	Fr	Sa	So	Mo	Di	Mi	Do	Fr	Sa	So	Mo	Di	Mi	Do	Fr	Sa	So	Mo	Di	Mi	Do	Fr	Sa	So				
18		1	2	3	4	22						1	27	1	2	3	4	5	6	31			1	2	3						
19	5	6	7	8	9	10	11	23	2	3	4	5	6	7	8	28	7	8	9	10	11	12	13	32	4	5	6	7	8	9	10
20	12	13	14	15	16	17	18	24	9	10	11	12	13	14	15	29	14	15	16	17	18	19	20	33	11	12	13	14	15	16	17
21	19	20	21	22	23	24	25	25	16	17	18	19	20	21	22	30	21	22	23	24	25	26	27	34	18	19	20	21	22	23	24
22	26	27	28	29	30	31		26	23	24	25	26	27	28	29	31	28	29	30	31				35	25	26	27	28	29	30	31
								27	30																						
September				Oktober				November				Dezember																			
Mo	Di	Mi	Do	Fr	Sa	So	Mo	Di	Mi	Do	Fr	Sa	So	Mo	Di	Mi	Do	Fr	Sa	So	Mo	Di	Mi	Do	Fr	Sa	So				
36	1	2	3	4	5	6	7	40		1	2	3	4	5	44		1	2				49	1	2	3	4	5	6	7		
37	8	9	10	11	12	13	14	41	6	7	8	9	10	11	12	45	3	4	5	6	7	8	9	50	8	9	10	11	12	13	14
38	15	16	17	18	19	20	21	42	13	14	15	16	17	18	19	46	10	11	12	13	14	15	16	51	15	16	17	18	19	20	21
39	22	23	24	25	26	27	28	43	20	21	22	23	24	25	26	47	17	18	19	20	21	22	23	52	22	23	24	25	26	27	28
40	29	30						44	27	28	29	30	31			48	24	25	26	27	28	29	30	1	29	30	31				

the year overview